







# Index

ABOUT US	2
BRANDS WE DISTRIBUTE	4

# Products

GLOVES	6
EYEWEAR	18
• Spectacles	
• Spoggles	
• Goggles	
WORKWEAR	24
RESPIRATORY	28
HEARING	38
FOOTWEAR	44
DISPOSABLE SUITS	54
HEAD PROTECTION	58
• Hard Hats	
• Welding	
• Grinding	
COLD, RAIN, HI VIZ	62
CLOTHING	66
• Chef's/Kitchen	
• Smart Casual	
FOOD PREP	70
FALL ARREST & BACK SUPPORT	72
MISCELLANEOUS	76
• Leather Wear	
• Cleaning Chemicals	
• Safety Signs	
• Spill Kits	
• First Aid Kits	
• Locks	



# ABOUT US.

Although the current business was founded in 2009, its existence was largely as a result of a culmination of experience and knowledge through other previous business ventures. Our many years of accumulative wisdom and learning within the Personal Protective Equipment (PPE) and Industrial Safety environment has facilitated the success of Khulanathi. The cornerstone of the business, the stone that provides alignment and stability is hard work, trust, integrity, honesty and loyalty, which are fully ingrained in our mission statement and are embodied into the culture of our business and people. We believe that having exceptional people is a vital ingredient for success, and our knowledgeable, passionate and proactive team are very much part of our growth and future plans.

The initial growth was achieved with no external sales representation, and relied heavily on personal recommendations, trust, positive service and product experiences between colleagues and even friends. The fact that much of our growth was initially by word-of-mouth referrals is proof that the model of providing an outstanding customer experience, quality products and great value is the key to success.

Our portfolio of successes includes long term and single supply contracts with large local JSE-listed companies, as well as several multi-national companies. The portfolio spans industries such as Oil and Gas, Glass, Iron and Steel, Automotive, Construction and Mining to mention but a few. Despite this, we have not forgotten our humble beginnings and count a number of small to medium-size businesses who have come to enjoy our first-class service and product portfolio. Our experience and expertise allows us to make confident recommendations, providing the best solutions for our customers.

Cheapest is never the answer. It comes with a cost that is almost always far higher and we believe it's worth taking the time to analyse the value of quality products, and the reduced cost of ownership they offer and to realise that safety is a long term investment. There are no short term gains.



We are proud that Khulanathi is a 51% black women-owned business where the members are involved in the business on a day-to-day basis. The stability of our team bears testament to the positives of a broader family environment which we hope rubs off on our customers. We might be a family, but we are foremost professionals, and believe in a positive future for both our business and South Africa.

At the core of what we do is supplying Personal Protective Equipment (PPE) to a broad range of customers. What's missing is the detail of what we believe makes us unique. What we sell is PPE, but what we do is provide a comprehensive product and service solution to our customers. The differentiation is small but significant. Our company has grown from a primarily workwear-based operation to one that now includes a broad range of products to cover every application, industry and environment. The driver to this change was to be able to be a provider of simple, yet comprehensive, safety solutions for people, products and environments. As the product offering has developed, so has our level of expertise, competence and industry experience, ensuring that we can deliver on the expectations that we set for our customers and ourselves.

In addition to our own expertise, we collaborate extensively with our supply partners to provide trusted professional advice and recommendations for workplace problems, enabling us to provide practical, affordable and sustainable solutions. Although you should come to expect expertise as the norm from your supplier, it's the opportunity to connect and interact directly with many of our supply partners that we believe engenders enormous value and trust. There's nothing more reassuring for a customer than to get first-hand knowledge, expertise and insight, directly from the manufacturer.

We thrive on working closely with our customers to better understand their workplace risk, work environment and operational challenges to ensure a bespoke solution that meets their needs and budgets. Sometimes this process can take a bit longer than simply taking an order, but we pride ourselves on ensuring that our customers understand the significance of the buying decision and the outcome for the wearer and the company. We enjoy being part of a solution-orientated process to find the correct product, and this sometimes means we need to develop or find products that are unique.

Finalising a product solution is the beginning of a longer service journey that is cemented by great communication. Having all the correct information required is critical to good decision-making and ultimately to taking corrective action, and we pride ourselves on providing the necessary information as quickly as possible. In addition to good communication, we deliver both locally and further afield with quick turnaround times from date of order.

We also offer additional services to customers looking for simplicity such as branding options (including embroidery, silk screening, workwear alterations, bespoke workwear concept design and manufacturing), as well as onsite facilities which include vending solutions. We want to reiterate the focus on service which we believe is the core of our 'What we do', and although we believe it's something we do well, we have aspirations for an even better service ethic that will contribute towards making our customers' workplace risk concerns simpler, easier and hopefully a thing of the past.

# BRANDS.



Over the years, we have developed extremely positive and supportive relationships with our suppliers and manufacturers. These relationships run deep, resulting in our receiving exceptional service and support. Our range has grown over time, and we can proudly say we can cover every application, every industry and every environment. Our philosophy when selecting a supplier or manufacturer is to focus on quality products that we trust and know will meet and exceed the required protection expected by the user.

Trust is a big issue in Personal Protective Equipment (PPE), as customers and users are reliant on their equipment to help keep them protected all day, every day. Unfortunately, it is a word that is far too often used but with no real intent to deliver on it.

An injury inflicted by an individual so often impacts on many other people, emotionally and financially. The reliance on high performing PPE does not stop with the user, but extends to their families, communities and other stakeholders alike. So for us, trust is not just a word - it's the one core value that resonates more deeply with us than any other and helps drive our selection of suppliers.

We strive to be aware at all times of new product innovation and developments that offer real value, greater risk-reduction and the reduction in the overall known cost-of-ownership. Sometimes it's a small thing that can reduce fatigue, reduce risk, and even improve productivity.

Sometimes it's something that is more complex such as an improvement on a respirator cartridge that can make a difference. Whatever the improvement or innovation, if it means a better solution for our customers, we'll ensure that we have it available.

**Below are some of the brands that we proudly represent:**





# WORK GLOVES





## CUT 5 RESISTANT (LEVEL C) NITRILE COATING GLOVE

116.548

EN388:2016




### Typhoon® fibre with nitrile coating, oil resistant

- Especially abrasion and tear resistant.
- Great protection against cuts and punctures.
- Fitted with great touch sensitivity.
- Typhoon® is one of the strongest fibres in the world.

**Suitable for:** Assembly work with extremely high requirements to abrasion resistance and where there is great risk of cut injuries

**Colour:** Black, Grey

**Sizes:** 8-11.



## CUT 5 RESISTANT (LEVEL C) PU COATING GLOVE

116.0995

EN388:2016



### Mixed fibres and polyurethane coating

- Highly durable.
- Excellent protection against cuts and punctures.
- Good touch sensitivity.
- Economical version.

**Suitable for:** Assembly work with high requirements to abrasion resistance and where there is risk of cut injuries.

**Colour:** Black, Grey


**Sizes:** 7-11



## CUT 5 RESISTANT FLAME RETARDANT GLOVE

116.559

EN388:2003



### Patented neoprene coating

- Durable, flame and cut resistant liner made of mixed Kevlar®, aramid, glass and polyester yarns.
- Neoprene coating ensures great dry grip and sound wet grip.
- Arc flash approved to Level 1, with Arc Thermal Performance Value (ATPV) of 7.7 cal/cm².
- Sanitized® treated to prevent bacteria growth and promote freshness.

**Suitable for:** Oil and gas industry | Petrochemical | Utilities | Mining industry | Construction | Metal industry | Glass handling.

**Colour:** Black, Green

**Sizes:** 8-11



## CUT 5 RESISTANT (LEVEL D) PU COATING GLOVE - 18 GAUGE

116.591

EN388:2016



### Typhoon® material, polyurethane coating

- Very good protection against cut injuries combined with high abrasion resistance.
- Especially good flexibility, freedom of movement and comfortable (18-gauge thread technology). Reinforced thumb crotch provides extended use life.
- Ideal for precision handling in dry or wet conditions.
- Typhoon® is one of the strongest fibres in the world.

**Suitable for:** Works tasks with very high requirements for cut protection and exceptionally high demands for touch sensitivity - primarily dry conditions.

**Colour:** Black, Grey

**Sizes:** 6-12



## CUT 5 RESISTANT (LEVEL C) PU COATING GLOVE - EXTENDED CUFF

116.561

EN388:2016



### Typhoon® fibre with polyurethane coating

- Especially abrasion and tear resistant. Great protection against cuts and punctures.
- Fitted with great touch sensitivity. Typhoon® is one of the strongest fibres in the world.

**Suitable for:** Assembly work with extremely high requirements to abrasion resistance and where there is great risk of cut injuries.

**Colour:** Black

**Sizes:** 7-11



## CUT 5 RESISTANT (LEVEL D) NITRILE PALM GLOVE - 18 GAUGE

116.592

EN388:2016




### Typhoon® material, sandy nitrile coating.

- Very good protection against cut injuries. Precision handling in wet or oily conditions.
- Especially good flexibility and freedom of movement and very comfortable (18-gauge thread technology). Reinforced thumb crotch provides extended use life. Superior abrasion resistance. Typhoon® is one of the strongest fibres in the world.


**Suitable for:** Work tasks with very high requirements for abrasion resistance, cut protection and touch sensitivity - and for use with touchscreens.

**Colour:** Black, Grey

**Sizes:** 6-12



116.599





115.9001

115.9007



reddot design award 2016 winner





116.599

## Cut 5 Resistant (Level F) Double Dipped Sandy Nitrile Coated Glove

### Typhoon® fibre with a double dipped sandy nitrile coating

- Provides extreme blade cut resistance, EN 388:2016, level F (highest level).
- Provides excellent tear and puncture resistance.
- Double dipped sandy nitrile coating for superior abrasion resistance.
- Thumb crotch reinforcement.
- Very flexible, dexterous and comfortable fit.
- Typhoon® is one of the strongest fibres in the world.
- Ideal for precision handling in oily conditions.

**Suitable for:** Handling parts with sharp, rough edges | Handling sharp metal sheets | Cutting glass | Metal working & assembly operations etc.

---

115.9001

## Cut 5 Resistant (Level D) Impact Hi-Viz™ Protective Glove

### Durable KR-Grip™ material in palm and fingers

- Produced for extreme working conditions for oil and gas professionals. Excellent breathability.
- Powerful cut resistant insert in the palm, exceeding EN 388 cut level D. Machine washable. Drip dry.
- Powerful but soft impact protection on back of hand. High visibility colours for increased safety.
- Designed for optimal ergonomics. Neoprene cuff provides comfort and wrist protection.

**Suitable for:** Extreme working conditions for oil and gas drilling, extraction and refining | Shipping | Trawlers | Mining | Demolition | Rigging | Heavy construction | Tool pushing etc.

115.9007

## Cut 5 Resistant (Level C) Impact Protective Glove

### Typhoon® fibre with nitrile coating, oil resistant

- Flexible. Comfortable heavy-duty gloves. Typhoon® provides excellent cut 5 protection.
- Powerful impact protective details on back of hand. Impact details designed for optimum ergonomics.
- Abrasion-resistant sandy nitrile palm coating provides exceptional grip.

**Suitable for:** Extreme working conditions for oil and gas drilling, extraction and refining | Mining | Demolition | Rigging | Heavy construction | Tool pushing etc.



## CUT 3 RESISTANT GLOVE

### Typhoon® fibre with polyurethane coating

- Especially abrasion and tear resistant.
- Great protection against cuts and punctures.
- Fitted with great touch sensitivity.
- Typhoon® is one of the strongest fibres in the world.

**Suitable for:** Assembly work with extremely high requirements to abrasion resistance and where there is great risk of cut injuries.

**Colour:** Black

**Sizes:** 7-11

116.541

EN388:2016



4342X



## CONQUEROR - GENERAL HANDLING GLOVE

### Sandy nitrile coating

- High durability and abrasion resistance.
- Highly dexterous.
- Well fitted and soft.
- Economical industrial packaging.

**Suitable for:** Construction business | Mechanical and automotive | Detailed assembly | Inspection | Handling small parts, etc

**Colour:** Black, Grey

**Sizes:** 7-11

114.0822

EN388:2016



4132X



## PRO-FIT® CLASSIC GENERAL HANDLING GLOVE

### Patented nitrile foam coating

- Great oil grip, wet grip, and dry grip.
- Excellent abrasion resistance combined with dexterity and breathability.
- The patented micro-capillary nitrile foam technology.
- ANTIWET treated.

**Suitable for:** Assembly and finishing | Metal fabrication | Assembly of white goods | General site & factory maintenance | Warehouse work and general handling.

**Colour:** Black, Grey

**Sizes:** 6-11

114.4279

EN388:2016



X1XXXX

4131X



## ASSEMBLY GLOVE

### Special vinyl/PVC foam coating

- Highly durable
- Outstanding dexterity and fit.
- The vinyl/PVC coating technology is a patented process.
- Sanitized® treated to prevent bacteria growth and promote freshness

**Suitable for:** Construction business | Heavy duty work | Assembly of components | Shipping | Mechanical and automotive.

**Colour:** Black, Grey

**Sizes:** 6-11

109.0400

EN388:2016



3131X



## ASSEMBLY GLOVES

### Double nitrile coating, waterproof

- Highly durable, good dexterity and fit.
- Coated with a thin layer of sky blue waterproof nitrile coating.
- Black sandy foam overdip ensures excellent wet, dry and oily grip.
- Sanitized® treated to prevent bacteria growth and promote freshness.

**Suitable for:** Mechanical and automotive | Oil and Gas industry | Refineries | Construction business.

**Colour:** Blue, White, Black

**Sizes:** 7-11

114.0490

EN388:2016



3131X



## VIBRATION-REDUCING WORK GLOVE EX®

### MacroSkin Pro® material with Spandex® back and Velcro closure, unlined

- Reducing the risk of Hand-Arm Vibration Syndrome (HAVS).
  - Approved according to Mechanical vibration and shock EN ISO 10819:2013 test.
  - Provides protection at high frequencies combined with protection at a broad spectrum of frequencies. Special vibration-reducing material layer in the palm. Comfortable and flexible.
- Suitable for:** Work using jackhammers, impact drills, impact wrenches, sanders, plate compactors, concrete saws and other vibrating tools.

**Colour:** Black, Grey

**Sizes:** 8-12

107.4330

EN388:2016



2221X





## FAST-ROPE HI-VIZ™ TACTICAL GLOVES

### Goatskin, full Kevlar® lining



- High visibility colour for increased safety. Elastic neoprene back for comfortable fitting.
- Full Kevlar® lining in palm and fingers protects from cut and heat injuries.
- Goatskin leather provides excellent touch sensitivity. Seamless finger tips for optimal comfort.
- Leather reinforcements in palm are following palmar flexion creases and provide rappelling control.
- Additional reinforcements on the thumb and index fingers. Velcro closure on wrist.
- A rubber pull tab make gloves easy to pull on and remove.

**Suitable for:** Working at height | Rope rescue | Fast rope operations | Law enforcement

**Colour:** Black, Green

**Sizes:** 7-12

119.2209



## TACTICAL GLOVES - KEVLAR PALM

### Goatskin, partial Kevlar® lining

- Kevlar® lining in the palm area only (not in fingers) protects from heat and cuts.
- Single layer of goatskin leather provides excellent touch sensitivity in fingertips.
- Seamless fingertips for optimal comfort. Soft padding secures knuckles and fingers.
- Breathable nylon mesh on back of hand keeps hands cool and dry. Velcro closure on wrist.
- A rubber pull tab makes gloves easy to pull on and remove. Very comfortable and fitted.

**Suitable for:** Law enforcement | Military | Special forces | Police | Security

**Colour:** Black

**Sizes:** 6-12

119.2201

EN388:2016



## FAST-ROPE TACTICAL GLOVES

### Goatskin, palm Kevlar® lining

- Full Kevlar® lining in palm and fingers protects from heat and cuts.
- Seamless fingertips for optimal comfort & safety. Soft padding secures knuckles & fingers.
- Goatskin leather provides excellent touch sensitivity. Very comfortable and fitted.
- Leather reinforcements in palm follows palmar flexion creases. Velcro closure on wrist.
- Breathable nylon mesh on back of hand keeps hands cool and dry.
- A rubber pull tab makes gloves easy to pull on and remove.

**Suitable for:** Working at height | Rope rescue | Fast rope operations | Law enforcement | Military | Special forces | Police | Security

**Colour:** Black, Grey. **Sizes:** 7-11

119.2202

EN388:2016



## TACTICAL GLOVES FULL KEVLAR PROTECTION

### Goatskin, palm Kevlar® lining

- Full Kevlar® lining in palm and fingers protects from cut and heat injuries.
- Seamless fingertips for optimal comfort and safety. Sewn with Kevlar® threads.
- Goatskin leather provides excellent touch sensitivity. Very comfortable and fitted.
- Breathable nylon mesh on back keeps hands cool and dry.
- Soft padding secures knuckles and fingers.
- Rubber puller for easy donning. A rubber pull tab makes gloves easy to pull on and remove.

**Suitable for:** Law enforcement | Military | Special forces | Police | Security

**Colour:** Black, Grey

**Sizes:** 7-11

119.2203

EN388:2016



## FREEZER GLOVE

### Special vinyl/PVC foam coating

- Durable. Outstanding dexterity and fit.
- Tested and approved for cold conditions, with Antiwet Coating.
- The vinyl/PVC coating technology is a patented process.

**Suitable for:** Assembly work and jobs in wet, oily and cold conditions with no compromise on comfort, grip and abrasion resistance.

**Colour:** Black

**Sizes:** 7-11

106.1690K

EN388:2016



## WATERPROOF FREEZER GLOVE

### Double latex coating, waterproof

- Comfortable and durable, good dexterity and fit.
- Coated with a thin layer of blue waterproof latex coating.
- Black sandy latex foam overdip ensures excellent wet, dry and oily grip.
- Provides good thermal insulation.

**Suitable for:** Construction business | Heavy duty work | Assembly of components | Shipping | Oil and gas industry | Cold Storage | Outdoor winter use.

**Colour:** Blue, Black.

**Sizes:** 7-12

115.9011

EN388:2016







## ESD GLOVE WITH A PU COATING

100.0850

### Polyurethane coating

- Dissipative effect to minimise the occurrence of Electro Static Discharge and stable in terms of anti-static properties.
- ESD approved.

**Suitable for:** Assembly in the electronics industry | Handling of photographic film | Optics | Laboratories.

**Colour:** White, Grey

**Sizes:** 6-10

EN388:2016



3131X



## CUT 5 HEAT RESISTANT GLOVE

113.1023

### Goatskin, fully Kevlar® lined

- Soft and strong goatskin leather provides gloves excellent dexterity & touch sensitivity.
- Very comfortable and fitted.
- Goatskin has higher strength-to-weight ratio than cow grain leather.
- Stitched-in 100% full Kevlar® lining protects hands from cuts.
- Sewn with Kevlar® threads.

**Suitable for:** Construction | Automotive manufacturing | Oil and gas | Assembly.

**Colour:** White

**Sizes:** 8-13

EN388:2003



413244



2522



## WELDZONE PREMIER WELDING GLOVE

109.0400W

### A-grade cow split leather, fully lined

- Sturdy, long-life welding gloves.
- Designed with thumb base area reinforcement.
- Sewn with strong, heat-resistant Kevlar® thread.

**Suitable for:** Varied welding in steel, aluminium and other metals | Cutting | Grinding, etc.

**Colour:** White, Yellow

**Sizes:** 8.5, 11, 12

EN 407:2004 EN388:2003




423344



4242X



WELD ZONE



## GENERAL USE/TIG WELDING GLOVE

114.4279

### Full nitrile microfoam coating

- High durability, dexterity and tactile sensitivity.
- Resistant to contact heat up to 100°C for 15 seconds.
- Water and oil repellent.

**Suitable for:** Light and medium fabrication | General assembly | Automotive manufacturing | Motor mechanics for handling hot parts.

**Colour:** Yellow, Black

**Sizes:** 7-12


EN388:2016



X1XXXX



4121A



## CUT 5 IMPACT AND CHEMICAL RESISTANT GLOVE

115.9011

115.9012

### Typhoon® fibre liner

- Typhoon® cut level 5 liner provides 360° protection.
- Nitrile coating provides wide range of chemical protection.
- Outstanding palm grip to handle slippery and/or oily objects.
- Powerful impact protective details on back of hand.
- Wide cuff and glove length is 39 cm/ 32 cm.

**Suitable for:** Work on drill floors (related to rigs) contact with oil, mud, lubricants and chemicals.

**Colour:** Lime Green.

**Sizes:** 8-11

EN374-1:2016 EN374-5:2016 EN388:2016



AJKOPT



413244



4X43DP



## NEOPRENE CHEMICAL RESISTANT GLOVE

114.2000

### Unsupported, cotton flock lined

- Durable.
- High chemical resistance.
- Anti-slip pattern for good grip in wet and dry conditions.
- Pure cotton flock liner to absorb perspiration

**Suitable for:** Automotive Industry | Chemical Industry | Industrial Cleaning | Oil Refining.

**Colour:** Black

**Sizes:** 8-10

EN374-1:2016 EN374-5:2016 EN388:2016




AKLMNOPT



3110X



CHEMSTAR  
BY GRANBERG





## NITRILE INTERLOCKED LINED CHEMICAL RESISTANT GLOVE

114.1000


### Unsupported, cotton flock lined

- Specifically designed to provide high durability and protection against solvents.
- Anti-slip pattern for good grip in wet and dry conditions.
- Approved to be used in direct contact with all types of food, including fatty foods.

**Suitable for:** Industrial cleaning | Petrochemical Industry | Aerospace and automobile industry | Printing industry | Surface coating | Metal fabrication | Food industry.

**Colour:** Green

**Sizes:** 7-12



**CHEMSTAR**  
BY GRANBERG

**Granberg**



## NITRILE INTERLOCKED LINED CHEMICAL GLOVE

114.3230


### Interlock lined

- Durable.
- Protection against chemicals, diesel fuel, petrol and oil.
- Good anatomical fit applied for maximum comfort.
- 3-4 times longer life-span than equivalent vinyl/PVC gloves.

**Suitable for:** Direct contact with all types of foodstuffs | Oil and petrochemical industry | Fishing/fish farming | Handling shellfish | Deck work etc.

**Colour:** Blue

**Sizes:** 7-12



**CHEMSTAR**  
BY GRANBERG

**Granberg**



## LATEX GLOVES

112.0400


### Rolled cuff, cotton flock lined

- Comfortable.
- Soft gloves with grip pattern.

**Suitable for:** All types of washing and cleaning | Food production and packing.

**Colour:** Yellow

**Sizes:** XS-XL



**CHEMSTAR**  
BY GRANBERG

**Granberg**



## LATEX CHEMICAL RESISTANT GLOVE

112.0122


### Cotton flock lined

- Tear-resistant beaded cuff for easy donning.
- Anti-slip pattern for good grip in wet and dry conditions.
- Pure cotton flock liner to absorb perspiration.

**Suitable for:** Handling meat and fatty foodstuffs | Pharmaceutical industry | Cleaning | Light assembly | Laboratories.

**Colour:** Blue

**Sizes:** XS-XL



**CHEMSTAR**  
BY GRANBERG

**Granberg**



## CUT 5 CHEMICAL RESISTANT GLOVE WITH VINYL/PVC COATING

114.955


### Gauntlet version on cotton/Lycra® liner with Typhoon® insert

- Highly durable, with Typhoon® insert assuring the glove achieve cut level 5.
- Comfortable. Soft, seamless cotton/Lycra® liner. REACH compliant.
- Outstanding grip in dry, wet and oily conditions. Special double-dipped vinyl/PVC coating.

**Suitable for:** Fishing industry and other industries where there is high risk of injury from cuts | Refining – Oil & Petrol | Handling acids, caustics and solvents | Petrochemicals | Public utilities.

**Colour:** Black, Grey

**Sizes:** 9-12



**Granberg**



## CHEMICAL RESISTANT GLOVE - CHEMSTAR

114.6000


### Seamless polyester liner

- Excellent grip enables users to handle dry, wet or oily objects with ease.
- Reliable chemical Type A protection.
- Extra softness and flexibility.
- Special double-dipped sandy nitrile coating on the palm.

**Suitable for:** Petrochemical Industry | Aerospace and mobile industry | Printing industry | Metal fabrication | Public utilities | Industrial cleaning

**Colour:** Black, Blue

**Sizes:** 8-11



**CHEMSTAR**  
BY GRANBERG

**Granberg**



## VINYL/PVC CHEMICAL RESISTANT FOOD APPROVED FREEZER GLOVE


### Removable acrylic flannel liner

- Highly durable, comfortable and flexible.
- Remains soft in temperatures as low as - 20°C.
- Resistant to petrol, diesel and many chemicals. Liner can be washed/dried separately.
- Sanitized® treated to prevent bacteria growth and promote freshness.

**Suitable for:** Fishermen | Cold storage work | Outdoor winter work.

**Colour:** Blue

**Sizes:** 9-10



**CHEMSTAR**  
BY GRANBERG

**Granberg**

109.229




## WATERPROOF FOOD APPROVED RUBBER WITH NITRILE GLOVE

### Unlined.

- Soft and flexible gloves with great dexterity causing minimal hand fatigue.
  - Excellent grip recommended for handling fish and other slippery items and materials.
  - Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Suitable for:** Handling meat, fish, poultry and other fatty foods | Fishing/fish farming | Cleaning.

**Colour:** Blue

**Sizes:** 7-12



**Granberg**

112.0940



## FOOD APPROVED NITRILE SINGLE USE GLOVE


### Nitrile, powder free. Blue colour. 30 cm length

- Ambidextrous. Patented fish scale print on both sides of gloves for optimal grip.
- Approved to be used in direct contact with all types of food, including fatty foods (EN 1186).
- Chemical and oil resistant. Silicone free. Weight 11.4 ± 0.3 g.
- Tear-resistant beaded cuff for easy donning.
- Extra comfortable if used with inner glove.

**Suitable for:** Handling meat, fish, poultry and other fatty foods | Cleaning | Light assembly

**Colour:** Blue

**Sizes:** S-XXL



**Granberg**

114.955



## CUT 5 FOOD APPROVED LINER


### Typhoon®

- Durable.
- Highly recommended as a cut-resistant liner gloves with single-use gloves and reusable gloves.
- Provides cut resistance barrier as well as finger sensitivity.
- Ambidextrous.

**Suitable for:** Use in meat industries, catering, fish processing industries and other food industries where knives or other sharp objects are handled.

**Colour:** Blue

**PROTECTOR**  
BY GRANBERG



**Granberg**

116.501



## NITRILE SINGLE USE GLOVE


### Nitrile, powder free. Black colour

- Ambidextrous. Patented fish scale print on both sides of gloves for optimal grip.
- Perfect for oily, wet and dry conditions.
- Tear-resistant beaded cuff for added protection from potential chemical spills and drips.
- Extra comfortable if used with inner glove. Silicone free. Weight 7.4 ± 0.3 g.

**Suitable for:** Automotive industry | Mechanical workshops | Light assembly | DIY shops | Chemical industry | Forensic work

**Colour:** Black.

**Sizes:** S-XXL



**Granberg**

114.970



## GREEN WELDERS ELBOW LENGTH

8 inch leather glove for welding applications. Heat resistant up to 230°C and very durable.

**Colour:** Green

**Sizes:** 10

HP-WELD8GR

## GREEN WELDERS SAFETY CUFF

2 inch leather glove for welding applications. Heat resistant up to 230°C and very durable.

**Colour:** Green

**Sizes:** 10

HP-WELD2.5GR





## RED HEAT ELBOW DOUBLE PALM

HP-REDLEVELBG

This glove is made for heat resistant applications such as welding. It is durable with Kevlar stitching and fully lined. 20 cm elbow length.

**Colour:** Red

**Sizes:** 10



## CHROME LEATHER ELBOW LENGTH

HP-DGCL8D

This is a 8 inch chrome leather glove for welding applications. Resistance to sparks and very durable.

**Colour:** Grey

**Sizes:** 10



## CHROME LEATHER CANDY STRIPE

HP-DGCANDY

This is a mechanical glove made of cow split leather with canvas back and a cotton canvas safety cuff.

**Colour:** Grey/Candy Stripe

**Sizes:** 10



## PIGSKIN CANDY STRIPE

HP-D88PBSA

Leather palm fabric (candy) bac glove.

Pig split leather palm, back knuckle, pull 8 tips.

Gunn cut, wing thumb, cotton lined, cottondrill candy back.

Designed for general handling operations.



## PIGSKIN

HP-GTIG

Pigskin grain leather. Tig welders or drivers glove.

Tan dyed pigskin in premium grain leather.

Gunn cut, keystone thumb 8 sewn with syntax thread.

Cotton bound cuff.

**Sizes:** 9-11



## GOATSKIN

HP-DGGOAT

Keystone VIP driver 8 tig welders glove.

A fully grained shirred goatskin leather glove with red trimming.

**Colour:** White

**Sizes:** 9-12



## POLKA DOT

HP-DGCOTDD

Machine knitted 7 gauge cotton blend. It is a reversible seamless glove with both sides randomly dotted with PVC. These dots add grip to the gloves. This glove is ideal to use in light industrial handling.

**Colour:** White/Black

**Sizes:** Large



## COTTON CROCHET

HP-COTC

This lightweight knitted cotton crochet glove is for general purpose dry handling for limited applications.

**Colour:** White

**Sizes:** 10



## CRAYFISH

HP-GCRAY

This abrasion resistant glove has a great grip and is lined with a polycotton knitted glove, dipped in rubber latex on the palm.

**Colour:** White/Dark Orange

**Sizes:** 10



## COMAREX KNIT WRIST

HP-GCOM/KW

This is a Natural Rubber fully dipped glove that comes standard in wrist length with a knitted cuff, it has a Crinkle hand finish with a drill fleece liner.

**Colour:** Yellow

**Sizes:** 10



## PVC KNIT WRIST

HP-DGPVCKW

This Mechanical medium weight smooth finish glove and has a wrist knit cut. It is a chemical glove.

**Colour:** Red

**Sizes:** 10



## PVC SAFETY CUFF

HP-DGPVC27

HP-DGPVC35

Chemical glove, mechanical medium weight smooth finish glove is 4 inches wrist length.

**Colour:** Red

**Sizes:** 10

## PVC ELBOW LENGTH

Chemical glove, mechanical medium weight smooth finish glove is 8 inches wrist length.

**Colour:** Red

**Sizes:** 10



## RUBBER LATEX BLACK ELBOW LENGTH

HP-DGRUBBER

This mechanical 8 inch rubber latex chemical glove has a rough palm finish for a better grip. It has a rolled safety cuff and is shoulder length. Can be use in bio-waste applications.

**Colour:** Black.

**Sizes:** 10



## CHAINMAIL

HP-RTCMGOI-M

Premium reversible 5 finger steel-mesh with adjustable textile strap. Market leading tensile strength.

**Sizes:** 7-11

**Honeywell**  
THE POWER OF **CONNECTED**



## ELECTROSOFT

2091

Its ergonomic shape and lightly powdered interior make the glove easy to slip on and off. It must be used with a leather overglove. Class 00- Class 4.

**Colour:** Beige

**Sizes:** 10



## GREEN NITRILE

HP-0056

This nitrile glove is designed to deliver optimal results in dry or wet environments. Fully reusable and comfortable. The cotton flock liner combines flexibility of the nitrile film.

**Applications:** Handling harsh chemicals.

**Colour:** Green

**Sizes:** 6-11



## YELLOW HOUSEHOLD

HP-D101437

This yellow rubber latex glove is for household applications and can be reused. Applied to inside treatment to minimise the risk of allergies.

**Colour:** Yellow

**Sizes:** S-XL



## POWDER FREE NITRILE DISPOSABLE

HP-PFND

This blue disposable nitrile glove is perfect for increased visibility for food processing and is powder free

**Colour:** Blue

**Sizes:** S-XL

# EYE WEAR





## PHEOS

Modern, fashionable design of safety spectacle. Rimless with a wide field of vision and a permanent anti-fog on the inside. Extremely scratch resistant on the outside and completely metal free. Can be used indoor/outdoor for changing light conditions.

**Frame Colour:** Black/Green or Black

**Lens:** Clear or Grey

9192225

9192370C

9192371G



uvex

## CX2 CBR

NEW CBR65 indoor/outdoor lens tinting technology meets the EN criteria for both indoors (low light conditions) and outdoors (increased glare). Offers increased contrast, blue-light blocker and relaxed yet focussed vision for a full day's work. Premium comfortable protection with a sporty look and x-tended soft eye shield. X-Twist side arm technology means it will fit all face shapes without the need for additional brittle components. Duo-component technology for maximum comfort. Soft rubbers where the product meets the wearer's skin.

**Application:** Indoor and Outdoor (contrast enhancing)

**Frame Colour:** White/Black

**Lens:** CBR65 65% Transmission Shade 1.4

9198064



uvex

## X-FIT

Weighing just 23grams the x-fit safety spectacle offers a wide field of vision in a sporty simple design that does not sacrifice on features. Metal free, permanent anti-fog and anti-scratch coatings in a sporty and lightweight comfortable design.

**Frame:** Translucent Blue or Black

**Lens:** PC Clear or Grey

9199265

9199280



uvex

## SAFETY SPECTACLES

The large panoramic lens of the uvex 9161 makes them ideal overspecs for those wearing prescription glasses – and the adjustable-length side arms ensure a perfect fit at all times.

**Frame:** Black

**Lens:** PC Clear

9161005



uvex

## SKYGUARD NT

The uvex skyguard NT combines the benefits of safety spectacles with those of goggles: A TPU layer is moulded directly onto the simple frame element, fully protecting the eyes against flying particles. The flexible soft component fits the wearer comfortably and is easy to clean for permanent use.

**Frame Colour:** Blue/Grey

**Lens:** PC Clear or PC Grey

9175260



uvex

## PHEOS CX2 SONIC

Weighing just 34 grams, the uvex pheos cx2 sonic is the lightest wide-vision goggle in the uvex range! The goggles provide a comprehensive level of protection thanks to flexibly adaptable soft components. The uvex duo component technology and the forehead and nose piece moulded directly onto the lens guarantee a customised fit. The X-tended eyeshield – which has already been tried and tested with the uvex pheos cx2 safety spectacles – completely covers the eye area.

**Frame Colour:** Black/Grey

**Lens:** PC Clear or PC Grey

9309275C

9309286G



uvex





## ULTRAVISION

Ergonomic wide-vision goggles with unrestricted peripheral vision. The ventilation ensures wearer comfort. Optional anti-fog lenses and the lens can be replaced. Outstanding close and pressure free fit. Great in dusty applications. Reduced ventilation. 45m per second impact protection.

**Application:** Chemicals

**Frame Colour:** Transparent Grey

**Lens:** PC Clear

9301714



**uvex**



## ULTRAVISION

Anatomical shape and soft material allow close, yet comfortable fit. Additional comfort cushioning. Fits comfortably over most prescription spectacles. Nose bridge works well with respirators. Frosted top to reduce glare. High-quality, easily adjustable headband. Eye protection suitable for oil and gas applications.

**Frame Colour:** Transparent Light Grey

**Lens:** PC Clear

9301116



**uvex**



## ULTRAVISION FIRE

Comfortable, ergonomically designed full vision safety goggle with unrestricted side visibility provided by 180° panorama lens. Gas Tight. Easily replaceable lens. Broad and fully adjustable headband. Exceptional wearer comfort guaranteed by unrivalled design. 120m per second impact protection. Can be worn for 4 hours at a temperature of 120 degrees Celsius and 90 seconds at 200 degrees Celsius.

**Frame Colour:** Red

**Lens:** PC Clear

9301603



**uvex**



## FACE GUARD

The face guard can be combined with the Uvex ultravision goggle for extra protection, so that the centre face is protected.

**Colour:** Transparent

9301318



**uvex**



## ASTROSPEC

Flexible 2K side arms and inclination. Ventilation with labyrinth seal helps improve climate around the eyes. Panoramic polycarbonate lens with integrated side protectors for optimum coverage of the eyes. New filter technology. UV and IR radiation protection. Minimises damage from welding sparks.

**Frame Colour:** Black/Green

**Lens:** PC Grey Shade 5

9164145



**uvex**



## ULTRA VISION

Comfortable welding goggles with a wide field of vision and can be worn over most prescription glasses. Full vision and a high degree of mechanical strength. Adjustable water repellent headband and outstanding close and pressure free fit. 120m per second impact protection.

**Application:** Gas welding

**Frame Colour:** Black/Green

**Lens:** PC Grey Shade 5

9301145



**uvex**

## SECUREFIT 201, 202

Good colour recognition and excellent UV protection. Self-adjust to comfortable fit a wide range of head shapes and sizes.

**Applications:** Construction, engineering, general assembly.

**Frame:** Dark Grey, Transparent Grey

**Colour:** Clear or Grey



SF201AF-EU

SF202AF-EU



**3M**

## SECUREFIT 401/402

The blue mirror is ideal for protection against sun glare. the polycarbonated lenses absorb 99.9% of UVA & UVB. The spectacles are secure, snug fit helps keep eyewear in place without slipping.

**Frame:** Black/Green or Black

**Colour:** Clear or Blue mirror



SF401AF-EU

SF402AS-EU



**3M**

## SECUREFIT 410

Good colour recognition and excellent UV protection. Self-adjust to comfortable fit a wide range of head shapes and sizes. Lightweight design 19g.

**Frame:** Black/Green

**Colour:** Indoor/outdoor (mirror)



SF410AF-EU



**3M**

## MAXIM HYBRID - SPOGGLE

Stylish and durable lightweight safety goggle designed to help protect from sun, wind, dust and flying debris. Choice of elastic strap for a secure fit or flexible fit temples.

**Frame:** Black

**Colour:** Clear



MAXIM HYBRID



**3M**

## GOGGLES 2890

The safety goggles features a modern, slim design. It is available with four different options using either an acetate or polycarbonate lens with either sealed or indirect ventilation.

**Frame:** Dark Grey

**Colour:** Clear



2890



**3M**

## VIRTUA

This sleek lightweight unisex design provides a wrap around feature for protection. It offers excellent coverage and field of vision. This lens protects against the suns glare.

**Applications:** Industrial manufacturing construction, general assembly.

**Frame:** Clear or Grey

**Colour:** Clear or Grey



71512C

71512G



**3M**



## DROMEX SPORTY SPEC

Polycarbonate mono lens with wide black vinyl temples. Ergonomic design to fit snug with the face contour. Compatible with respiratory equipment. Anti-fog lens (Clear & Amber). Anti-glare lens. Scratch resistant lens.

**Frame:** Black

**Colour:** Clear/Grey

DV12



## EUROSPEC CLEAR

This safety spectacle has a polycarbonated lens with anti-fog on the inside. It has adjustable temple arms in/out for a secure, comfortable fit.

**Frame:** Black

**Colour:** Clear

DV026



## WRAP AROUND SPEC

This wrap around spectacle has a polycarbonated lens, with anti-fog on the inside. It can be worn over most prescription glasses.

**Frame:** Clear

**Colour:** Clear

DV1C



## WIRE MESH LENS

This safety spectacle has a Mesh lens for high humidity areas.

**Frame:** Clear

**Colour:** Black Mesh

DV504



## GOGGLE

Clear (EN170 2-1,2) polycarbonate mono lens. 25 mm elasticated & adjustable headband. High quality vinyl frame. Ergonomic design to fit snug with the face contour. Wide face contact area for comfort and seal. Efficient indirect ventilation system. Compatible with respiratory equipment. Anti-fog lens. Scratch resistant lens.

**Frame:** Clear

**Colour:** Clear

DV004



## WELDING GOGGLE

It has a polycarbonated mono lens with a soft rubber face seal. It allows efficient indirect ventilation. The adjustable headband allows a secure and comfortable fit. It has a anti-scratch and anti-fog lens.

**Frame:** Red

**Colour:** Shade 5

DVGW5





## SG-14 CAF (Clear Anti Fog)

**Xenon™ the most popular and lightest safety glass!**

They're so comfortable and lightweight you'll forget you have them on. Soft rubber nose bridge and colourful rubber temple inserts. Anti-fog coating protection to ensure improved performance in all conditions. Superior comfort for all day wear. 99.9% UV Protection. Lightest safety glass weighing only 0.8 oz.

**Lens:** Polycarbonate

**Lens Coating:** Anti-Fog

**Frame:** Polycarbonate

SG-14



## SG-18 CAF (Clear Anti Fog)

**Avion™ is our No. 1 safety glass!**

Offers extended coverage and premium comfort. Wrap-around, uni-lens design offers full panoramic view and excellent side protection. Soft, flexible nose bridge minimizes slippage and provides all day comfort. SuperCoat™ long lasting washable coating provides anti-fog, anti-scratch and anti-static protection. Soft, rubber temple tips keeps eyewear comfortable and secure. 99.9% UV Protection.

**Lens:** Polycarbonate

**Lens Coating:** SuperCoat™ Anti-Fog

**Frame:** Polycarbonate

SG-18 C



## SG -18 C (Clear)

**Avion™ is our No. 1 safety glass!**

Offers extended coverage and premium comfort. nWrap-around, uni-lens design offers full panoramic view and excellent side protection. nSoft, flexible nose bridge minimizes slippage and provides all day comfort. Soft, rubber temple tips keeps eyewear comfortable and secure.

99.9% UV Protection

**Lens:** Polycarbonate

**Frame:** Polycarbonate

SG-18



## SG-37 (Grey)

**OVR-Spec II™ is Cost Saving Solution to Prescription Safety Glasses.**

Great extra protection with extended top, bottom and side shields. An oversize lens to fit over large frame prescription eyewear of up to 145 mm. Frame design maintains a space between the RX and safety lens so expensive RX lenses do not rub or scratch each other. Spatula temples with soft, rubber temple tips enhance comfort and holds eyewear securely and comfortably on head. Self-adjusting nose bridge for greater comfort. 99.9% UV Protection

**Lens:** Polycarbonate

**Frame:** Polycarbonate

SG-37 GO



## GG-16 GAF (Grey Anti Fog)

**Offers goggle like protection with air ventilation ports, wide field of vision and excellent comfort.**

Protects eyes from particles, dust, wind and cold in indoor and outdoor environments. Lightweight and comfortable. Wraparound temples hold spectacle on wearers head without strap. Ventilation ports and side temple slots allow air flow for superior anti-fog performance and wearer comfort. Over-sized wrap lenses provides extended field of vision. Soft foam comfortably fills the gap between your face and lens for excellent protection. EVA Closed cell foam is easy to clean and long lasting, resisting body oil and sweat. Anti-fog coating protection to ensure improved performance in all conditions.

**Lens:** Polycarbonate

**Lens Coating:** Anti-Fog

GG-16 GAF



## GG-45 CAF (Clear Anti Fog)

**The Go-Specs II™ system offers 2 safety glasses in one unit!**

Flame retardant foam on frame and strap. Use indoor or outdoor, protects against dust, sand, cement, chemicals, heat, humidity and more! Deep ventilation channels on top and bottom helps reduce fogging. EVA Flame Retardant closed cell foam seal. Flame Resistant length adjustable elastic fabric strap. Pantoscopic lens angle adjustments for customizable fit. SuperCoat™ anti-fog, anti-scratch, anti-static long lasting washable coating. 99.9% UV Protection.

**Lens:** Polycarbonate

**Lens Coating:** SuperCoat™ Anti-Fog


**Frame:** Nylon

GG-45 AF





# WORK WEAR







## FLAME RETARDANT ACID RESISTANT

O-CSNFAC

D59 100% Cotton Flame Retardant and Acid Resistant SABS approved fabric. Industrial quality flame retardant 50 mm silver reflective tape. Left chest pocket with press stud on flap and pen pocket. Concealed brass YKK zip. Lower patch pockets on jacket. Elasticated cuffs. Side slits for easier movement. All seams triple stitched and stress points bar tacked. Trousers with belt loops, elasticated back waistband, brass YKK zip, back right patch pocket, side swing pockets, ruler pocket, and all seams triple stitched and stress points bar tacked.

**Colour:** Sasol Navy

**Sizes:** 28-56



## FLAME RETARDANT

O-CSFR

D59 100% Cotton Flame Retardant SABS approved fabric. Available with or without Industrial quality flame retardant 50 mm silver reflective tape. Left chest pocket with press stud on flap and pen pocket. Concealed YKK zip. Lower patch pockets on jacket. Side slits for easier movement. All seams triple stitched and stress points bar tacked. Trousers with belt loops, elasticated back waistband, YKK zip, back right patch pocket, side swing pockets, ruler pocket, and all seams triple stitched and stress points bar tacked.

**Colour:** Fern Green, Navy

**Sizes:** 28-56



## ACID RESISTANT

O-CSAR

Poly Cotton 235 gsm Acid Resistant SABS approved fabric. Left chest pocket with press stud on flap and pen pocket. Concealed YKK zip. Lower patch pockets on jacket. Side slits for easier movement. All seams triple stitched and stress points bar tacked. Trousers with belt loops, elasticated back waistband, YKK zip, back right patch pocket, side swing pockets, ruler pocket, and all seams triple stitched and stress points bar tacked.

**Colour:** Bottle Green, Navy

**Sizes:** 28-56



## D59

O-CSD59

D59 100% Cotton 280 gsm SABS approved fabric. Available with or without Industrial quality 50 mm silver reflective tape. Left chest pocket with press stud on flap and pen pocket. Concealed YKK zip. Lower patch pockets on jacket. Side slits for easier movement. All seams triple stitched and stress points bar tacked. Trousers with belt loops, elasticated back waistband, YKK zip, back right patch pocket, side swing pockets, ruler pocket, and all seams triple stitched and stress points bar tacked.

**Colour:** Royal Blue, Navy, Grey, Khaki, Emerald Green, Yellow, Orange, Red, Black, Brown

**Sizes:** 28-56



## J54

O-CSJ54

J54 100% Cotton 220 gsm SABS approved fabric. Available with or without Industrial quality 50 mm silver reflective tape. Left chest pocket with press stud on flap and pen pocket. Concealed YKK zip. Lower patch pockets on jacket. Side slits for easier movement. All seams triple stitched and stress points bar tacked. Trousers with belt loops, elasticated back waistband, YKK zip, back right patch pocket, side swing pockets, ruler pocket, and all seams triple stitched and stress points bar tacked.

**Colour:** Royal Blue, Navy, Khaki, Grey, Red, Orange, Black, Brown, Yellow

**Sizes:** 28-56



## DENIM

O-CSDENIM

100% Cotton 10 or 12 Oz. heavy duty fabric. Left chest pocket with press stud on flap and pen pocket. Concealed YKK zip. Lower patch pockets on jacket. Side slits for easier movement. All seams triple stitched and stress points bar tacked. Trousers with belt loops, elasticated back waistband, YKK zip, back right patch pocket, side swing pockets, ruler pocket, and all seams triple stitched and stress points bar tacked.

**Colour:** Indigo Blue

**Sizes:** 28-56





## POLYCOTTON 65/35

65/35

65/35 235 gsm Poly Cotton fabric. Left chest pocket with press stud on flap and pen pocket. Concealed brass YKK zip. Lower patch pockets on jacket. Side slits for easier movement. All seams triple stitched and stress points bar tacked. Trousers with belt loops, elasticated back waistband, YKK zip, back right patch pocket, side swing pockets, ruler pocket, and all seams triple stitched and stress points bar tacked.

**Colour:** Royal Blue, Navy, Khaki, Grey, Red, Orange, Black, Brown, Yellow

**Sizes:** 28-56



## VALUE CONTI 80/20

80/20

80/20 Poly Cotton fabric. Left chest pocket with press stud on flap. Concealed YKK zip. Lower patch pockets on jacket. Side slits for easier movement. Seams in stress areas triple stitched and stress points bar tacked. Trousers with belt loops, elasticated back waistband, YKK zip, back right patch pocket, side stitch down pockets, and seams in stress areas triple stitched and stress points bar tacked.

**Colour:** Royal Blue, Navy, Khaki, Grey, Red, Orange, Black, Brown, Yellow

**Sizes:** 28-56



## HACCP JACKET AND TROUSERS

HACCPJ

HACCT

65/35 235 gsm Poly Cotton fabric. Food processing jacket with cut away neck line. Front yolk. Single top stitching throughout. ½ Elasticated cuffs. Inner chest pocket with pen slot. Side slits for comfort. Trousers with elasticated waistband and drawstring. Double top stitch seams for added durability. Back pocket. Bar tacks on all pressure.

**Colour:** White, Grey, Navy

**Sizes:** 28-56



## ARC FLASH SUIT – ESKOM SPEC

ARCFSE

Manufactured with DuPont Protera, an inherent flame retardant fabric. YKK concealed brass zips on jackets and pants, adjustable velcro closure for added protection, double needle side seams, velcro side slits on hem of trouser. Nomex knitted rib cuffing, raglan sleeve, Protera sidewinder, cal/cm2 rating embroidery on jacket and pants. DuPont Protera Fabric.

Engineered flame retardant yarn, ATPV 12.4 cal/cm2 and also available in ATPV 25 cal/cm2.

**Sizes:** 28-56



## ARC FLASH SUIT – CONTI

ARCFSC

Manufactured with DuPont Protera, an inherent flame retardant fabric. YKK concealed brass zips on jackets and pants, velcro closure for added protection, double needle side seams, Velcro side slits on hem of trouser. Knitted cuffing, Protera sidewinder, flapped jacket pockets and side entry swing pockets on trousers. Engineered flame retardant yarn, ATPV 12.4 cal/cm2, and also available in ATPV 25 cal/cm2. Option for 50mm Flame Retardant reflective tape on arms and legs.

**Sizes:** 28-56



## ARC FLASH SHIRT

ARCFSH

Manufactured with DuPont Protera, an inherent flame retardant fabric. Chambray style long sleeve shirt. Triple needle side seams and shoulders. Two chest pockets with double needle stitching and flaps. Engineered flame retardant yarn, ATPV 9.6 cal/cm2. Flame Retardant thread and buttons throughout. 9.6 cal/cm2 rating embroidery on right chest. Option for 50mm Flame Retardant reflective tape on arms.

**Sizes:** Small - 3XL





## HI VIZ SHIRT (Long sleeve)

CJ33J

Fluorescent fabric for increased day time visibility and Chest pocket with press stud closure and pen pocket. Large front pockets. Concealed YKK zip, Bar tacks on stress points. 50mm VizLite 201 silver reflective tape.

**Colours:** Fluorescent Orange/Navy, Fluorescent Lime/Bottle Green and Fluorescent Yellow/Navy.  
**Sizes:** S - 4 XL.



## HI VIZ SHIRT (Short sleeve)

MSS33H

Double back pleats. Button down front, 2 front pockets with hook and loop closure. Triple needle stitching on all seams for extra strength. Extra length curved hem and Bar tacks on stress points. 50mm VizLite 201 silver reflective tape.

**Colours:** Fluorescent Orange/Navy, Fluorescent Lime/Bottle Green and Fluorescent Yellow/Navy.  
**Sizes:** S - 4 XL.



## HI VIZ TROUSERS

CP33P

Fluorescent fabric for increased day time visibility and elasticated back waistband. Triple needle stitching on inner leg and back rise. Two deep slant pockets with self fabric pocket bag. Concealed YKK zip and bar tacks on stress points. 50mm VizLite 201 silver reflective tape

**Colours:** Fluorescent Orange/Navy, Fluorescent Lime/Bottle Green and Fluorescent Yellow/Navy.  
**Sizes:** S - 4 XL.



## WOMENS WORK JACKET

LCJKT

VERSATEX 65/35 polycotton twill. Adjustable hook and loop tabs on cuffs. Back darts. Concealed YKK zip. Slanted entry front pockets. Zip fastenings on chest pockets for secure storage. Slightly longer length for comfort. Side slits for ease of movement.

**Weight:** 230 gm2  
**Colours:** Royal  
**Sizes:** XS-XL



## WOMENS WORK TROUSERS

LCPANT

VERSATEX 65/35 polycotton twill. Triple stitching on inner leg seam. Slim slanted pockets, for a smooth fit around hips. Half elasticised waistband for comfort & mobility. Concealed YKK zip. Bar tacks on all stress points.

**Weight:** 230 gm2  
**Colours:** Royal  
**Sizes:** 28-48



## WOMENS WORK SKIRT

LSKIRT

VERSATEX 65/35 polycotton twill. Triple stitching on seams. Slim slanted pockets, for a smooth fit around hip. Elasticised sides. Bar tacks on all stress points. Back slit for ease of movement.

**Weight:** 230 gm2  
**Colours:** Royal  
**Sizes:** 28-48





# RESPIRATORY







## 6000 FULL FACE PIECE

This face piece can be used with 6000 series cartridges, filters, adapters and retainers. Can also be used as a dual airline supplied air respirator system.

**Sizes:** 6700 Small, 6800 Medium, 6900 Large

6700

6800

6900

**3M**



## 6500 SERIES HALF FACE MASK

The 6500 series provides extended product life due to resilient silicone material. Guarantees comfort and stability through a soft but firm silicone face seal. Also available with a Quick latch drop-down mechanism for easy "on and off" as one moves in and out of contaminated areas and 3M cool flow valves unique design to allow easier breathing.

**Sizes:** 6501 Small, 6502 Medium, 6503 Large

6501

6502

6503

**3M**



## 6500 QL SERIES HALF FACE MASK

This face piece can be used with 6000 series cartridges, filters, adapters and retainers. Can also be used as a dual airline supplied air respirator system.

**Sizes:** 6501 QL Small, 6502 QL Medium, 6503 QL Large

6501QL

6502QL

6503QL

**3M**



## 6000 SERIES HALF FACE MASK

This face piece can be used with 6000 series cartridges, filters, adapters and retainers. Can also be used as a dual airline supplied air respirator system.

**Sizes:** 6100 Small, 6200 Medium, 6300 Large

6100

6200

6300

**3M**



## 7500 SERIES REUSABLE HALF MASKS

The Silicone face piece can be used with 6000 series cartridges, filters, adapters and retainers. Note: This face piece can also be used as a dual airline-supplied air respirator system.

**Sizes:** 7501 Small, 7502 Medium, 7503 Large

7501

7502

7503

**3M**



## 6038 ENCAPSULATED CARTRIDGE

Particulate Filters 6038 protect against solids and liquid particles P3R, HF up to 10 x TLV additionally against organic vapour and acid gases below OEL in a stable plastic cage for rough applications. Suitable for 3M 6000 and 3M 7000 Series Half Face and Full-Face Masks.

6038

**3M**

## 9100 FX Air



## Adflo



- |                             |                               |
|-----------------------------|-------------------------------|
| A. Filter cover             | F. Breathing tube             |
| B. Prefilter                | G. Airflow pattern            |
| C. HE particle filter       | H. Nuisance door pad assembly |
| D. Li-ion battery           | I. OV/AG cartridge            |
| E. Filter/Battery Indicator |                               |

## 9100 FX Air

- Speedglas released the first auto-darkening welding helmet ever and continues to set the benchmark in personal protective equipment and professional welding helmet technology.
- Welding Shield with Huge Clear & Curved Grinding Visor. A smooth flip-up function reveals a huge 170x100 mm clear grinding visor with 180 degree vision.
- Largest Welding Mask Viewing Area Available: The huge Speedglas 9100XXi auto-lens combined with the Speedglas peripheral Side Windows gives you the largest welding shield viewing area available on the market.
- Speedglas Side Windows. Previously hidden peripheral hazards (beams, obstacles and other workers) are now visible through two, shade 5 side lenses (conventional shade 13 protection).
- Unrivalled Arc Detection and switching. Photo-sensors capable of detecting an arc down to an industry-leading 1 amp with centre sensor for TIG applications.
- All Welding Applications with Multiple Modes. With shades 3, 5, 8, 9-13 and multiple mode settings you can weld, cut, grind and tack, indoors and outdoors even with a completely hidden arc.
- Welding Mask with Auto-On. With Auto-On your welding helmet is instantly ready to weld; programmed to your last used welding setting.
- Industry Leading Warranty Protection. Speedglas 9100 features a revolving **3 year warranty**.

## Adflo

- One of the most popular PAPR's in the world, the award-winning Adflo has become synonymous with welder's powered air protection and provides increased protection and comfort all day long.
- The exclusive airflow pattern evenly distributes filtered air throughout the entire breathing zone of the welder.
- The new Adflo lithium-ion battery charges from 0-80% of its full capacity in approximately one hour and lasts approximately 8-10 hours depending on conditions.
- Super Light Welding Respirator with Slim Profile.
- Self-Adjusting Breathing Hose. The Quick Release Swivel (QRS) allows for one handed connection and release.
- Stackable Protection from Welding Fume, Particles and Gases.
- Standard & Airflow Plus. The respirator airflow is always a constant nominal rate of 170 litres per minute regardless of the battery's charge or the particle loading of the filter.
- Industry Leading Warranty Protection. The Adflo PAPR features a revolving **2 year warranty**.



## 6051 CARTRIDGE

6051

Type: A1. Use for protection against organic vapours. Used in industries such as vehicle and aircraft manufacture where conventional paint is used. Also suitable for use in adhesive manufacture.



## 6054 CARTRIDGE

6054

Type: K1. Use for protection against ammonia and methylamine up to 10 x OEL.



## 6055 CARTRIDGE

6055

These organic gas and vapour A2 filters have all the features you would find in standard 3M Gas and Vapour filters plus the 3M Service Life Indicator. Helps users in appropriate environments determine when to change filters. (the 'i' - indicates life of product)



## 6055i CARTRIDGE (with indicator)

6055i

These organic gas and vapour A2 filters have all the features you would find in standard 3M Gas and Vapour filters plus the 3M Service Life Indicator. Helps users in appropriate environments determine when to change filters. (the 'i' - indicates life of product)



## 6057 CARTRIDGE

6057

Type: ABE 1. Use for protection against organic vapours up to 10 x OEL.  
A - Organic, B - Inorganic, E - Acid Gases



## 6059 CARTRIDGE

6059

Type: ABEK1. Use for protection against ammonia, acid gases, organic and inorganic, up to 20 x OEL.







## 6075 CARTRIDGE

6075

Type: A1 + formaldehyde. Use for protection against 10ppm formaldehyde, and organic gases up to 20 x OEL.

**3M**



## 6096 ENCAPSULATED CARTRIDGE

6096

Type: A1HgP3. Use for protection against mercury, vapour & particulates up to 10 x OEL.

**3M**

## AIR MONITORING SYSTEMS

3500

3551

3721

The economical, accurate way to monitor one's working environment. 3M Air Monitors are simple and effective devices that collect certain air-borne contaminants using the scientific principle of diffusion. They meet or exceed 25% accuracy and a 95% confidence level for many workplace contaminants.

3500 - Organic Vapors

3551 - Ethylene Oxide

3721 - Formaldehyde

**3M**

## 5935 FILTER

5935

Type: P3. Use for grinding, sanding, asbestos, wood-working, foundries, mining & as a pre-filter in gas and vapour combinations.

**3M**

## 501 RETAINER

501

The 3M Filter Retainer 501, Respiratory Protection System Component holds 3M Particulate Filters 5N11 and 5P71/07194 (AAD) in place on top of 3M Respirators 5000 Series, 3M Cartridges 6000 Series and 3M Filter Adapter 603.

**3M**

## 502 FILTER ADAPTER

502

The 3M Filter Adapter 502, Respiratory Protection System Component attaches 3M Particulate Filters 2000/2200 Series and 7093/7093C to the 3M Respirators 5000 Series and 3M Cartridges 6000 Series.

**3M**



## 2128 FILTER

2128

Type: P2. Use for protection against particulates up to 10 x OEL & nuisance level organic vapour and acid gas relief



## 2135 FILTER

2135

Type: P3. Use for grinding, sanding, asbestos, wood-working, foundries & mining up to 20 x OEL.



## 2138 FILTER

2138

Type: P3. Use for protection against particulates up to 20 x OEL & nuisance level organic vapour relief.



## 8810

8810

Type: FFP2. Maximum usage level: 12 x TLV. Suggested applications: grinding, sanding, asbestos, bagging, wood-working, foundries, mining & other dusty operations. Manufactured in SA



## 8822

8822

Type: FFP2. Maximum usage level: 12 x TLV. Suggested applications: grinding, sanding, asbestos, bagging, wood-cutting, foundries, mining & other dusty operations.



## 9913

9913

Type: FFP1. Maximum usage level: 12 x TLV. Suggested applications: welding, brazing, soldering, torch-cutting, metal pouring, grinding, sanding, sweeping, bagging & other dusty and hot operations.



**9914****9914**

The disposable valved FFP1 is lightweight, effective, comfortable and hygienic against dust, mist and nuisance level organic vapour. Suggested applications: Grinding, sanding, asbestos or welding.

**3M****9925****9925**

Type: FFP2. Maximum usage level: 12 x TLV where ozone is present. Suggested applications: welding, brazing, soldering, torch-cutting, metal pouring, grinding, sanding, sweeping, bagging & other dusty and hot operations.

**3M****9928****9928**

Type: FFP2 RD. Maximum usage level: 10 x TLV where ozone is present. Suggested applications: welding, brazing, soldering, torch-cutting, metal-pouring, grinding, sanding, sweeping, bagging plus other dusty or hot foundry or petrochemical operations. Contains soft inner face seal. Reusable in certain conditions.

**3M****K102****K102**

Type: FFP2. Maximum usage level: 12 x TLV. Suggested applications: grinding, sanding, asbestos, bagging, wood-cutting, foundries, mining & other dusty operations.

**3M****K112****K112**

Type: FFP2. Maximum usage level: 12 x TLV. Suggested applications: grinding, sanding, asbestos, bagging, wood-cutting, foundries, mining & other dusty operation

**3M****K113****K113**

Type: FFP3. Maximum usage level: 50 x TLV. Suggested applications: grinding, sanding, asbestos, bagging, wood-cutting, foundries, mining & other dusty operations.

**3M**



**9322**

**9322**

Type: FFP2. Maximum usage level: 4 x TLV. Suggested applications: glass-etching, chemical manufacturing, paper processing, brewing operations & aluminium smelting.

**3M**



**AURA 9332+**

**9332**

Type: FFP3. The Maximum use level is 12 x TLV. Suggested applications: Grinding, sanding, asbestos, bagging, wood-working and other dusty operations.

**3M**



**1860**

**1860**

A healthcare particulate respirator. Adjustable nose clip, custom & secure seal, cushioning nose foam, braided head straps. Proprietary filter media, designed for ease of breathing. Fluid-resistant.

**3M**



**SILV-AIR C FFP2 VALVED**

**8732220**

All Silv-air C FFP2 respirators provide reliable protection against hazardous or harmful particles, steam and fumes. Filters for solid & liquid particles with a medium filtering level. For protection of up to 10 x the corresponding threshold value. (SABS)

**Colour:** White

**uvex**



**UVEX FFP2**

**3956171**

All Silv-air C FFP2 respirators provide reliable protection against hazardous or harmful particles, steam and fumes. Filters for solid & liquid particles with a medium filtering level. For protection of up to 10 x the corresponding threshold value. (SABS)

**Colour:** Green

**uvex**



**COM4-BREATHE FFP2 VALVE**

**3956172**

This FFP2 valve has a high filter efficiency low breathing resistance head strap(textile rubber band) light weight, foldable and easy to carry. Filters out more than 94% of harmful substances. (SABS)

**Colour:** Green

**uvex**





## PASSION FFP2

FFFP2

FFP2 valveless cup shape disposable dust masks provides low breathing resistance for increased wearer comfort, with heavy duty tab mounted headstrap and adjustable nose clip for a customized fit.

*Passion*



## QSA 2020

2020

QSA FFP2 valveless cup shape disposable dust masks provides low breathing resistance for increased wearer comfort, with heavy duty tab mounted headstrap and adjustable nose clip for a customized fit. Composition is polyester with no loose fibre's.



## QSA 2021

2021

QSA FFP2 valveless cup shape disposable dust masks provides low breathing resistance for increased wearer comfort, with heavy duty tab mounted headstrap and adjustable nose clip for a customized fit. Composition is polyester with no loose fibre's.



## 1020

1020

Dromex FFP2 valveless cup shape disposable dust masks provides low breathing resistance, with heavy duty tab mounted headstraps, colour coded adjustable plastic nose clip and a soft foam nose piece for added and increased wearer comfort and fit.

**Dromex** 



## 1021

1021

Dromex FFP2 with valve, cup shape disposable dust masks provides low breathing resistance, with heavy duty tab mounted headstraps, colour coded adjustable plastic nose clip and a soft foam nose piece for added and increased wearer comfort and fit. Exhalation valve reduces hot air build-up and provides easy breathing in hot and humid environments

**Dromex** 



## 1121C

1121C

1121A, no longer available, replaced with 1121C. Dromex FFP2 with valve, cup shape active carbon disposable dust masks provides low breathing resistance, with heavy duty tab mounted adjustable head strap with contour seal, colour coded adjustable plastic nose clip and a soft foam nose piece for added and increased wearer comfort and fit. Exhalation valve reduces hot air build-up and provides easy breathing in hot and humid environments. The active carbon pre-filter filters nuisance organic vapours and welding fumes

**Dromex** 

# HEAR ING





## UVEX K1

SNR 28 dB Easy length adjustment. Memory foam padded headband for optimal comfort. Designed to be lightweight with a small capsule.

2600001

2600201

SNR: 28dB

## UVEX K1 H

SNR 27 dB. Soft ear cushions adapt to surface and head shape to ensure optimal comfort. 360° rotation for standby and resting positions. Suitable for the following uvex safety helmets: uvex pheos B-WR, uvex pheos alpine.

**Colour:** Black/Green

**uvex**



## UVEX K2

SNR 32 dB. Easy length adjustment. Memory foam padded headband for optimal comfort. Extra soft memory foam ear cushions. Designed to be lightweight with a small capsule.

2600002

2600202

SNR: 32dB

## UVEX K2 H

SNR 30 dB. Wearer comfort guaranteed thanks to extra soft memory foam ear cushions, even when worn for long periods. 360° rotation for standby and resting positions. Suitable for the following uvex safety helmets: uvex pheos B-WR, uvex pheos alpine (additional adapter systems for combination with safety helmets. **Colour:** Black/Yellow

**uvex**



## UVEX K200

The uvex K200 protective earmuffs – offers an impressive combination of great design and high level of performance: Thanks to their soft surfaces, the earmuffs are easy to mould and comfortable to wear due to their low weight.

**Colour:** Black/Yellow

2600200

SNR: 28dB

**uvex**



## WHISPER

SNR23dB. Locally manufactured in South Africa. Smooth, dirt-repellent surface can be easily cleaned using soap and water. With the cord the earplugs are conveniently at hand, whenever required. In low-noise areas, the earplugs can be worn comfortably around the neck. Hygienic storage in an individual carrying case.

**Colour:** Orange

**Available:** Corded or Detectable

2111200

SNR: 23dB

**uvex**



## WHISPER SUPREME

SNR30dB. Reusable earplugs with high sound absorption. Long ridges for high noise insulation. Soft, smaller earplug stem ensures optimum wearer comfort. Storage in earplug box. Manufactured using TPE (latex and silicone free) resulting in protection that poses little risk of irritations in the ear canal.

**Colour:** Yellow

**Available:** Corded

2111700

SNR: 30dB

**uvex**



## UVEX CLEAR

Reusable earplug with smooth, dirt-repellent surface. Easy to clean with soap and water. With the cord the earplug is conveniently to handle, making it a readily available hearing protection. Cord can be removed. High wearing comfort

**Colour:** Translucent

**Sizes:** Corded

2111800

SNR: 27dB

**uvex**



## X FIT

2112001

SNR: 37dB

Ergonomically shaped, detectable disposable earplug  
Bright blue colour makes it easier to see in production area  
X-grip for easy insertion and removal  
Best suited for use in very loud environments  
Sealed surface, preventing foreign bodies from penetrating  
Excellent voice recognition  
Soft foam offers real comfort, even when worn for extended periods  
**Material:** PU Foam

**uvex**



## X FIT REFILL

2112010

Ergonomically shaped, detectable disposable earplug  
Bright blue colour makes it easier to see in production area  
X-grip for easy insertion and removal  
Best suited for use in very loud environments  
Sealed surface, preventing foreign bodies from penetrating  
Excellent voice recognition  
Soft foam offers real comfort, even when worn for extended periods  
**Material:** PU Foam  
**Package Quantity:** 200 pairs

**uvex**



## DISPENSER

2112046

Easy-to-use, robust wall-mounted dispenser.  
Easy installation and a controlled release mechanism which ensures the correct number of plugs are dispensed.  
The transparent design makes it easy to monitor the number of earplugs remaining.  
The collecting tray catches the earplugs.  
Installed at a convenient location, the dispenser has sufficient capacity to supply large production areas with hearing protection.

**uvex**



## X FIT CORDED

2112010

SNR: 37dB

Ergonomically shaped, detectable disposable earplug.  
Bright blue colour makes it easier to see in production area.  
X-grip for easy insertion and removal.  
Best suited for use in very loud environments.  
Sealed surface, preventing foreign bodies from penetrating. Excellent voice recognition.  
Soft foam offers real comfort, even when worn for extended periods.  
**Cord:** PVC  
**Cord Length:** 700mm  
**Material:** PU Foam

**uvex**



## ONE FIT

2112046

SNR: 31dB

Ergonomically shaped disposable earplug.  
Perfect solution for use in loud environments.  
Soft PUR-foam offers real comfort, even when worn for extended periods.  
**Material:** PU Foam

**uvex**



## WHISPER STORAGE CONTAINER

2111400

A sturdy case for storing earplugs safely and hygienically.  
**Colour:** Blue

**uvex**




# HEARING FACT AND FIGURES

- 25% of South Africans are affected by Noise Induced Hearing Loss
- Noise Induced Hearing Loss effects people of all ages
- NIHL is the most predominate occupational injury in South Africa
- Myth: “My body is getting used to the noise levels”
- NIHL is 100% Preventable


## CALCULATING REQUIRED SNR

### Noise exposure level



**80 dB**  
employer must provide  
hearing protection

**85 dB**  
wearing duty  
for employees



### Calculating the SNR

Example :

Workplace  
Noise Zone  
  
ie 103 dB

-  
minus

Regulation  
  
85 dB

=  
equals

Recommended  
SNR  
  
18 SNR

## NOISE LEVEL ANALYSIS

Noise level	Max exposure time
82dB	16 h
<b>85dB **</b>	<b>8 h</b>
88dB	4 h
91dB	2 h
94dB	1 h
97dB	30 minutes
100dB	15 minutes

\*\*Top limit for requirement of Hearing protection

		ADVANTAGES	DISADVANTAGES
EARPLUGS	UNCORDED	No possibility of obstruction	Easier to misplace and harder to handle
	CORDED	Easy to handle and prevents loss	Small possibility of obstruction
	DISPOSABLE	Hygiene (clean hands) Low risk of infection High attenuation	Increased long term costs
	REUSABLE	Long term cost savings	Must be cleaned and maintained
EARMUFFS		No insertion needed, nonintrusive	Bulky, heavy
MOULDED PLUGS		Perfect fit every time Lowest cost long term	Initially higher cost



## LASER LITE

This multi coloured earplug is non-irritating, non-allergic, self-adjusting foam recovers to fit virtually any ear canal. This is ideal for that portion of the population with smaller ear canals. Available in Corded and uncorded.

**Colour:** Pink/yellow

3301105

3301106

SNR: 35dB

HOWARD  
LEIGHT  
by Honeywell



## QUIET

Easy to handle and fit in the ear canal, insertion is quick and easy. Contoured shape comfortably matches contours of the ear canal. Provides all day comfort, easy to clean for long term use.

**Colour:** Orange

3301172

SNR: 28dB

HOWARD  
LEIGHT  
by Honeywell



## SMARTFIT

Easy to handle and fit in the ear canal, insertion is quick and easy. Contoured shape comfortably matches contours of the ear canal. Provides all day comfort, easy to clean for long term use.

**Colour:** Orange

1011239C

1011239U

SNR: 30dB

HOWARD  
LEIGHT  
by Honeywell



## REUSABLE EARPLUGS

Re-usable ear pugs

Soft detachable cord

Easy to insert into your ear

Hi visibility fluorescent green TPR

**Product Rating:** CE EN 352-2 ( H=30db, M=26db, L=26db)

**Composition:** Green TPR (Thermo Plastic Rubber)

DR-090C

SNR: 30dB

Dromex



## DISPOSABLE FOAM EARPLUGS

Disposable corded foam earplugs, PU-coated for hygiene that is smooth and soft for comfort. Very easy to use, high visibility and expands to fit the ear canal.

**Colour:** Fluorescent Lime Green

DR-098C

DR-098U

SNR: 37dB

Dromex



## J-MUFF

Designed with comfort in mind, lightweight and a robust design. Self-adjusting ABS cups and with soft foam cushions for all day comfort. It is suitable for light industrial duty and outdoor construction. This can be used under a hard hat or around the neck.

**Applications:** Machining, grinding, Steel cutting or Woodwork.

**Colour:** Blue/Black

J-MUFF

SNR: 24dB

Dromex



## H9A PELTOR

This earmuff has been developed for demanding noisy environments and muffles even extremely low frequencies to a maximum degree. Suitable for substantial industrial noise or construction machinery.

**Colour:** Black/Yellow

**H9A**

SNR: 31dB



## H9 P3E PELTOR

This cap-mount earmuff fits onto most hard hats with a noise level up to 101 dBA. The recommended industry is construction, mining, transportation.

**Colour:** Black/Yellow

**H9P3E**

SNR: 30dB



## H10A PELTOR

This Peltor over-the-head earmuff provides effective hearing protection up to 105dBA. The Double-shell technology boosts its noise blocking ability. This durable stainless steel. Headband resists bending and warping. Noise Reduction Rating of 30dB, highest available in attachment style earmuff.

**Colour:** Black/Red

**H10A**

SNR: 35dB



## H10 P3E PELTOR

For noise levels up to 105 dBA, these cap attached with double-shell technology to provide effective hearing protection - Proprietary Twin-Cup(TM) design has soft, foam-filled earmuffs. Easy cap-mount design. Earcup pivot points that tilt for optimum comfort and efficiency. Liquid/foam filled earmuff cushions. Colour-coding to help match attenuation needs.

**H10P3E**

SNR: 34dB



## ULTRAFIT

This reusable corded earplug is suitable for SNR32 decibels. It is very comfortable and includes a storage case.

**Colour:** Blue cord and Yellow earplug

**340-4002**

SNR: 32dB



## 1100 SERIES

The uncorded disposable earplug suitable for SNR37 decibels. They are easy to insert and very comfortable.

**Colour:** Orange

Available in corded as well

**E1100U**

**E1110C**

SNR: 32dB





# FOOTWEAR

A close-up, low-angle shot of a person's legs wearing brown leather boots. The boots have a thick, light-colored sole with a deep tread pattern. The person is standing on a rough, rocky surface. The background is slightly blurred, showing more of the rocky terrain and a hint of a structure in the distance. The overall tone is rugged and outdoorsy.





## CRAZY HORSE BROWN

The Crazy Horse boot is ISO 20345 approved. This stylish Workboot offers you an easy slip-on solution with supreme comfort. A high quality, premium leather is used, while safety features include steel toe cap, anti-static, oil resistance and heat resistance.

**Sizes:** 4-13

**Colour:** Desert Brown



RE652

EN20345:2001




## THERMOTRACK HI

This CE 20345 approved safety boot for high temperature applications of 300 deg C has a rubber outsole with PU midsole. In addition the sole is oil and solvent resistant and has excellent abrasion properties. The upper has a leather spat for protection against welding and grinding sparks with an internal velcro system and quick release snap buckle.

**Sizes:** 3-14

**Colour:** Black



RE6S5065BK

EN20345:2001



## JIGGA RE5174

This CE 20345 Approved non-metallic safety boot has a dual density injected PU/Rubber sole is resistant to 300 deg C, as well oil and solvents, with great abrasion properties. The full grain leather upper has high density plastic eyelets, with a composite toecap. In addition the boot has Arc Flash tolerance and is ESKOM spec 34-232 compliant.

**Sizes:** 3-13

**Colour:** Black



RE5174

EN20345:2001



## HIKER HI

High quality waxy leather upper, lightweight dual density PU sole. Ultra comfortable inner sole. Maxi grip outer sole for slip resistance. Rustproof brass d-rings.

**Sizes:** 3-13

**Colour:** Black and Tan



RE304

EN20345:2001



## CHUKKA BOOT

Highly durable full leather upper. Padded bellows tongue for comfort and protection against sparks and shavings. Lightweight dual density polyurethane sole. Ultra-comfortable inner sole. Maxi-grip outer sole – ensuring high durability and slip resistance. Taibrelle moisture wicking lining. Rustproof brass D-rings.

**Sizes:** 2-16



RE380

EN20345:2001



## CHUKKA SHOE

Highly durable full leather upper. Padded bellows tongue for comfort and protection against sparks and shavings. Lightweight dual density polyurethane sole. Ultra-comfortable inner sole. Maxi-grip outer sole – ensuring high durability and slip resistance. Taibrelle moisture wicking lining. Rustproof brass D-rings.

**Sizes:** 2-16



RE380

EN20345:2001





## GLIDER - NON METALLIC

The REBEL Glider is a comfortable, slip resistant and non-metallic slip-on shoe perfectly designed for use in indoor factories, production lines, transport, motor and hospitality industries.

**Sizes:** 3-13

**Colour:** Black

RE801

EN20345:2001



## HYGIENIC BOOT

Designed for the hygienic sector.

Micro-fibre material and water resistant. Lightweight PU rubber sole. Specially designed without velcro to increase hygienic properties. Water resistant coating ensures water resistance and maintains hygiene standard. Metal Free & slip on styling outer ensures HACCP standards are maintained.

**Sizes:** 2-13

**Colour:** White

GL068

EN20345:2001



## DYNAPRO

This CE 20345 approved safety shoe with composite toecap has a phylon mid-sole with rubber outsole, which is anti-static, oil and solvent resistant, and has great abrasion resistance. The extra thick PU innersole also has additional memory foam and Poron insert for supreme comfort. The upper is a woven flyknit woven mesh with a TPU re-inforced toe and counter

**Sizes:** 4-13

**Colour:** Grey

RE316

EN20345:2001



## LADIES LIGHT INDUSTRIAL

This CE20345 Approved light weight safety shoe has an EVA midsole/Rubber outsole which is oil and solvent resistant, with great abrasion properties. The upper is made from a grey oxford mesh, with a TPU bumper and nubuck heel counter. The padded innersole is also superbly comfortable, while the fabric lace loops and metal eyelet finish off a stylish product.

**Sizes:** 2-8

**Colour:** Grey

RE941

EN20345:2001



## FX2 CHELSEA

An easy slip-on chelsea boot with a steel midsole for anti-penetration and a smooth micro-fibre upper offering excellent durability and breathability.

**Sizes:** 3-13

**Colours:** Black, Brown

FX2-CB-S1P

EN20345:2001



## JACKAL

Exceptional Value. Genuine buffalo leather upper. Steel toe cap – 200 Joules. Shock absorbent dual density Polyurethane sole unit. Anti slip outsole. Padded collar for comfort.

**Colour:** Black

**Sizes:** 5-12

JACKAL

EN20345:2001





## MUNICH

20002

SANS 20345:2011

A hard wearing safety boot with advanced comfort engineering. Double density PU sole. Heat resistant up to 95 degrees celcius. Extra wide fitting steel toe cap. Antistatic. Generous styled upper for increased foot space.

**Sizes:** 5-13

**Colours:** Black



## BREMEN

20001

SANS 20345:2011

A comfortable safety shoe with advanced comfort engineering. Double density PU sole. Heat resistant up to 95 degrees celcius. Extra wide fitting steel toe cap. Antistatic. Generous styled upper for increased foot space.

**Sizes:** 5- 3

**Colours:** Black



## HIKER

20013

SANS 20345:2011

An ultra comfortable safety boot in supple leather. Perfect for work and recreation. Double density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Extra wide fitting steel toe cap for comfort.

**Sizes:** 5-12

**Colour:** Black and Walnut



## CHELSEA

90006

SANS 20345:2011

A lace free safety boot, popular in the agricultural sector. Double density PU sole. Heat resistant up to 95 degrees celcius Available with/without the steel toe cap. Elastic side gussets for extra comfort. Antistatic.

**Sizes:** 3-13

**Colours:** Black and Tan



## NEOFLEX

90004

SANS 20345:2011

A high wearing safety boot with all leather upper and bellows tongue. Double density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Energiser top sock for additional comfort.

**Sizes:** 5-13

**Colour:** Black



## NEOGRIP

90005

SANS 20345:2011

A high wearing safety shoewith all leather upper and bellows tongue. Double density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Energiser top sock for additional comfort.

**Sizes:** 5-13

**Colour:** Black



## MAVERICK

60002

SANS 20345:2011

Durable safety boot with genuine leather upper. Double density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Energiser top sock for additional comfort.

**Sizes:** 4-13

**Colour:** Black



## RADICAL

60001

SANS 20345:2011

Genuine split leather. Padded bellows tongue and collar for comfort. Anti-static non-woven in-sock for flexibility, comfort and stability. Needle-fibred vamp lining for excellent perspiration absorbency. Double Density PU/PU Sole with heat-resistant up to 95°C)

**Sizes:** 4 -13

**Colour:** Black



## ADAPT

74442

SANS 20345:2011

A durable entry level safety boot. Single density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Energiser top sock for additional comfort.

**Sizes:** 5-13

**Colour:** Black



## EAGLE

8025

SANS 20345:2011

The sole is made up of thermoplastic polurethane (TPU) and this gives maximum support on the arch of the foot and ankle. It has a extra wide steel toe cap.

**Sizes:** 5 -12

**Colour:** Black/Grey



## ZEUS

8117

SANS 20345:2011

The sole is designed for general use and applications. Has a built in arch support for long hours on your feet. Offers superior slip resistance. The boot has a wide steel toe cap for comfort.

**Sizes:** 5-12

**Colours:** Black and Brown



## EROS

8010

SANS 20345:2011

The sole is designed for general use and applications. Has a built in arch support for long hours on your feet. Offers superior slip resistance. The shoe has a wide steel toe cap for comfort.

**Sizes:** 5-12

**Colours:** Black and Brown







## APOLLO

8050

SANS 20345:2011

The sole is specifically designed for maximum slip resistance. It is designed for maximum surface contact but maximises the slip resistance. Has a wide steel toe cap for comfort.

**Sizes:** 2-12

**Colour:** Black



## OUTENIQUA

8013

SANS 20345:2011

The sole and midsole is made up of PU to allow extra comfort. The curve in the sole allows "spring" by absorbing the pressure of a person's weight. It has an extra wide and high steel toe cap for comfort.

**Sizes:** 5-12

**Colour:** Black and Brown



## MAXIMUS

8074

SANS 20345:2011

Full leather upper and bellows tongue. More comfortable with heel grip counter lining and padded collar. Increased width by 3mm for improved sturdiness. New cleat design and reflective insert for improved low light visibility.

**Sizes:** 3-12.

**Colours:** Black.



## MAXECO

8031

SANS 20345:2011

The sole is designed for general use and applications. Has a built in arch support for long hours on your feet. Offers superior slip resistance. The shoe has a wide steel toe cap for comfort.

**Sizes:** 2-13

**Colours:** Black and Tan



## ROBUST

8102

SANS 20345:2011

The sole is designed for general use and applications. Has a built in arch support for long hours on your feet. Offers superior slip resistance. The shoe has a wide steel toe cap for comfort.

**Sizes:** 2-13

**Colours:** Black and Tan



## HERCULES

8048

SANS 20345:2011

Revered as the go-to boot in the agricultural sector, the Hercules Chelsea has found fame amongst farmers in SA. The genuine leather upper ensures durability, whilst the Raptor sole unit provides the traction control needed in changing farming terrains. The unique, low cut of the collar and elastic side gussets, allow for easy foot entry and accommodates a higher bridge making this ideal for the wider South African foot.

**Sizes:** 5-12

**Colours:** Black and Tan





## REESE

55006

SANS 20345:2011

Cut from 2.0 – 2.2mm smooth Full Grain Leather. 15mm padded collar from mesh fabric for enhanced comfort, breathability and support. 7 pair rust resistant eyelet lace-up. The in-sock is from an anti-static non-woven material and has been treated with Ultra-Fresh to impart hygienic and anti-bacterial properties to the material Sole. The sole is from a Double Density PU/PU.

**Colour:** Black

**Sizes:** 3-8



## CATE

54002

SANS 20345:2011

Cut from 2.0 – 2.2mm smooth Full Grain Leather. 20mm padded collar from synthetic material for enhanced comfort and support. 3 pair rust resistant D-ring lace-up with 1 pair hooks for quick removal of boot. The top sock features EVA foam inserts on the ball and heel area for enhanced comfort and shock absorption, and has been treated with Ultra-Fresh. The sole is from a double density PU/PU. This boot has a SRC slip-resistance rating.

**Colour:** Black

**Sizes:** 2-9



## SYDNEY

51005

SANS 20345:2011

Cut from 2.0 – 2.2mm Full Grain Leather. Pull-strap and elastic side gussets for ease of entering and exiting the boot. Lining: The vamp lining is from a hi-tech needle-fibre blend, perspiration absorbency and treated with Ultra-Fresh. In-sock is from an anti-static non-woven material. Energiser top sock is from a combination of polyester and wool, with excellent perspiration absorbency. The top sock features EVA foam inserts on the ball and heel area for enhanced comfort and shock absorption and treated with Ultra-Fresh. The sole is from a single density Polyurethane.

**Colour:** Black/Brown

**Sizes:** 3-8



## MADONNA

51004

SANS 20345:2011

Cut from 2.0 – 2.2mm smooth Full Grain Leather with synthetic purple underlay. 4 pair rust resistant eyelet lace-up. The in-sock is from an anti-static non-woven material. The Energiser top sock is from a combination of polyester and wool, with excellent perspiration absorbency, features EVA foam inserts on the ball and heel area for enhanced comfort and shock absorption and has been treated with Ultra-Fresh. The sole is from a single density Polyurethane.

**Colour:** Black

**Sizes:** 3-8



## NICOLE

54001

SANS 20345:2011

Cut from 2.0 – 2.2mm Full Grain Leather. 4 pair punch hole lace-up. The in-sock is from an anti-static non-woven material. The Energiser top sock is from a combination of polyester and wool, with excellent perspiration absorbency, and features EVA foam inserts on the ball and heel area for enhanced comfort and shock absorption, as well as been treated with Ultra-Fresh. The sole is from a double density PU/PU. SRC slip resistance rating.

**Colour:** Black

**Sizes:** 2-9



## THULI

RE940

EN20345:2011



This CE20345 approved Chelsea boot has an EVA midsole/ Rubber outsole which is oil and solvent resistant, with great abrasion properties. The microfibre upper has good breathability and durability. The innersole is extra thick PU with a 2mm memory foam and Poron heel insert for superb comfort.

**Colour:** Black

**Sizes:** 2-8





## PLAIN SNEAKER

Full grain Nubuck bovine leather with mesh lining and metal eyelets. Anti-fray wax coated laces with branded lace tips. Composite (200 joules) toe caps.

**Colour:** Black/White

**Sizes:** 5-12

6002

EN20345:2001



COMPOSITE  
TOECAP



ANTISTATIC



## ACTIVE CASUAL

High-s cuff genuine treated Nubuck leather for increased all round flexibility for comfort and ergonomics. Mesh bellows tongue with branded TPU insert and padded mesh collar. Composite (200 joules) toe cap.

**Colour:** Black/Grey

**Sizes:** 5-12

6005

EN20345:2001



COMPOSITE  
TOECAP



ANTISTATIC



## ALL WHEEL DRIVE

Black Safety Sneaker. High Abrasion Resistant Full Grain Astico Diamante Leather. S2 Water Resistant. Reflective Side Stripe. Dual Density Black/Grey Polyurethane (SRC Slip Resistance). Oil, Acid, Petrol & Diesel resistant outer sole.

**Sizes:** 2-15 (Unisex)

AS01

EN20345:2001



STEEL TOECAP



ANTISTATIC



## PARSON

Black safety boot. Grey sports mesh lining. Wide fitting for comfort. Lightweight, slip and abrasion resistant. Dual density Polyurethane/Polyurethane sole. Penetration resistant steel midsole. Arachna Comfort Insole.

**Sizes:** 2-15 (Unisex)

NJS01

EN20345:2001



STEEL  
MIDSOLE



STEEL TOECAP



ANTISTATIC



## SHAMROCK

Extended, heavy duty, toe bump cap for scuff resistance and further spatter protection. Non Conductive, non-marking, slip and abrasion resistant outer sole. 300° degree heat resistant outer sole. Oil, Acid, Petrol & Diesel resistant outer sole. 5 sets of d-rings for lacing underneath a flexible kevlar stitched leather spat, with integrated metatarsal protector for upper foot protection. Care should always be taken on wet or oily surface.

**Sizes:** 2-15 Unisex

MR01

EN20345:2001



HRO  
300°C  
HEAT  
RESISTANT



STEEL TOECAP



ANTISTATIC



## SCARLET

Black ladies safety boot. Female fit for comfort. Lightweight, slip and abrasion resistant. Dual density Polyurethane/Polyurethane sole.

**Sizes:** 3-9

LS01

EN20345:2001



STEEL TOECAP



ANTISTATIC



## NEPTUN BOOT - METAL FREE

AAB52

SANS 20345:2011

### A full metal free leather safety boot.

Dual Density PU sole. Baron leather upper. Oil and acid resistant sole. Composite safety toe cap.

**Colour:** Black Grey

**Sizes:** 4-13



## NEPTUN CHELSEA - METAL FREE

ACRS2

SANS 20345:2011

### A full metal free leather safety boot.

Dual Density PU sole. Full grain leather upper. Oil and acid resistant sole. Composite toe cap.

**Colour:** Black / Brown

**Sizes:** 4-13



## STIMELA XP - ORANGE DOT

XBG25SPM

XWG25SPM

SANS 20345:2011

Metal free heavy duty knee length PVC gumboot. Integrated metaguard for hard wearing, excellent grip and sole support. Anti-penetration midsole. Oil and acid resistant.

**Sizes:** 4-14

**Colour:** Black upper/Grey sole and White upper/Grey sole



## SHOSHOLOZA - GREEN DOT

ZBG25SP-BK

ZWG25SP-WT

SANS 20345:2011

Heavy duty knee length gumboot made from SABS nitrile PVC. Perfect for damp or wet environments. Hard wearing, with excellent grip and sole support. Oil and acid resistant uppers and sole, with broad fitting steel toecap, and anti-penetration midsole.

**Sizes:** 4-14

**Colour:** White/Grey sole and Black/Grey sole



## SHOSHOLOZA

ZBG25S-BK

ZWG25S-WT

SANS 20345:2011

A heavy duty knee length PVC gumboot with safety toe cap. Hard wearing, excellent grip and sole support. Oil and acid resistant.

**Sizes:** 3-14

**Colour:** White/Grey sole and Black/Grey sole



## SHOVA

VBBGP-B

VWG25-W

SANS 20345:2011

A unisex knee length PVC gumboot made for general purpose use in agriculture or the food industry. This gumboot is made from semi recycled PVC.

**Sizes:** 4-12

**Colour:** White upper/Grey sole Black upper/Black sole







## MINER

F1860

SANS 20345:2011

PVC uppers for durability and abrasion resistance. Waterproof gusset. PVC/ nitrile sole for protection against fats, oils and chemicals. Nylon liner for easy cleaning and quick drying. Optimal toe spring for walking and kneeling.

**Sizes:** 5-12

**Colour:** Black upper with Toffee sole



## EGOLI METAGAURD

F1392

SANS 20345:2011

PVC uppers for durability and abrasion resistance. Waterproof gusset. PVC/ nitrile sole for protection against fats, oils and chemicals. Nylon liner for easy cleaning and quick drying. Optimal toe spring for walking and kneeling.

**Sizes:** 5-12

**Colour:** Black upper with Toffee sole



## EGOLI

F1270-B

F1271-B

SANS 20345:2011

PVC uppers for durability and abrasion resistance. Water- proof gusset and steel toe cap. PVC/nitrile for protection against fats, oils and chemicals. Nylon liner allow for easy cleaning & quick drying.

**Sizes:** 3-13

**Colours:** White upper/White sole



## GRIPPER

F1210-B

EN20345:2001



PVC uppers for durability and abrasion resistance. Water- proof gusset and steel toe cap. PVC/nitrile for protection against fats, oils and chemicals. Nylon liner allow for easy cleaning and quick drying.

**Sizes:** 3-13

**Colour:** Black upper/Black sole



## DURALIGHT

F1040-B

F1030-W

SANS 20345:2011

PVC uppers for optimum flexibility and abrasion resistance. Durable PVC sole. Lightweight for enhanced comfort & reduced fatigue. Nylon liners for easy cleaning and quick drying. No steel toe cap.

**Sizes:** 5-12

**Colours:** Black upper/Black sole and Green upper/Black sole



## CALF LENGTH

F1661-B

F1681-W

SANS 20345:2011

PVC uppers for optimum flexibility and abrasion resistance. Durable PVC sole. Lightweight for enhanced comfort and reduced fatigue. Nylon liners for easy cleaning and quick drying.

No steel toe cap.

**Sizes:** 3-9

**Colours:** Black upper/Black sole, Blue upper/White sole, Green upper/Black sole



# DISPRO SABLE SUITS





## DuPont™ Tychem® 2000 C

Comfortable, Lightweight Protection  
against Biohazards and Chemicals



Type 3 – Protection against pressurised liquid chemicals (Norm: EN 14605)



Type 4 – Protection against liquid aerosols (Norm: EN 14605)



Type 4B – Biological protection (Norm: EN 14126)



Type 5 – Protection against airborne solid particulate chemicals (Norm: EN ISO 13982-1)



Type 6 – Limited protection against liquid mist (Norm: EN 13034)



Electrostatic discharge if properly grounded (Norm: EN 1149-5: 2008)



Protection against particulate radioactive contamination (Norm: EN 1073-2)

TC CHA5TYL00

# TYCHEM 2000C

CE Certified, CAT III. Type 3 single use protective chemical overall. Hooded Hi-Viz yellow coverall. Elasticated wrist, face, waist and ankles. Thumb loops and self-adhesive chin flap for seal on face-masks. Splash or pressurised splash protection for use in a variety of environments including, food and chemical processing, pharmaceutical manufacturing, pulp and paper industries.

**Sizes:** S-XXXL.



## TYVEK 500 - EXPERT

TY CHF5WHXB

CE Certified, CAT III. Type 5/6 limited use, disposable overall. High liquid and particulate protection yet excellent breathability and comfort. Robust lightweight 180g garment with elasticated face, wrist, waist and ankles. Suitable in pharmaceutical handling, chemical processing, oil & gas industry, general maintenance, automatic spray painting and a variety of low risk applications.

**Sizes:** S-XXXL

DuPont™  
**Tyvek**



## TYVEK 600 - PLUS

TY CHF5TWH

CE Certified, CAT III. Type 4 limited use, protective chemical suit. Elasticated hood, wrist, ankles and waist with thumb loops and self adhesive chin flap for tight mask seal. A robust comfortable 250g garment suitable for maintenance and dismantling jobs in the nuclear industry, pharmaceutical manufacturing and biosecurity laboratories as well as exposure to biological hazards.

**Sizes:** S-XXXL

DuPont™  
**Tyvek**



## TYVEK 800 J

TJ 0198TWH

CE Certified, CAT III. Type 3 limited use, protective chemical suit. Effective barrier against low-concentration, water-based inorganic chemicals under pressure, small sized hazardous particles and oil repellency. Soft lightweight, permeable fabric to air and water vapour. Ergonomic, robust lightweight garment. Typical applications: Industrial cleaning, mining, petrochemical installations, sewers and maintenance operations.

**Sizes:** S-XXXL

DuPont™  
**Tyvek**



## TYCHEM 4000S

SL CHZ5TWH

CE Certified, CAT III. Type 4 limited use, protective chemical suit. Offers a barrier to more than 100 chemicals. Double zip, double cuff system enhances overall protection. Elasticated face, wrist, ankles and waist. Self-adhesive chin flap for tight seal for face mask. Suitable for chemical handling, environmental clean-up & emergency response. Used in oil & gas industry, chemical engineering and hazardous material response teams. Multiple use, single exposure

**Sizes:** S-XXXL.

DuPont™  
**Tychem**



## TYCHEM 6000F

TF 0611TGYUG

CE Certified, CAT III. Type 3 single use protective chemical overall. Hooded coverall in grey for discretionary needs. Elasticated face, wrists, waist and ankles with thumb loops. Self adhesive chin flap for tight face seal on masks. Broad range application including petrochemical, military, chemical spill clean-up and emergency response.

**Sizes:** S-XXXL.

DuPont™  
**Tychem**



## TYVEK 500 LAB COAT

TY PL30SWH09

CE Certified, CAT III. Type 3 single use protective chemical overall. Hooded coverall in grey for discretionary needs. Elasticated face, wrists, waist and ankles with thumb loops. Self adhesive chin flap for tight face seal on masks. Broad range application including petrochemical, military, chemical spill clean-up and emergency response.

**Sizes:** S-XXXL.

DuPont™  
**Tyvek**





**4515**

**4515**

Type 5/6 coverall with elasticated face and zip flap cover. For use in light duty maintenance and repair, asbestos inspection, cement manufacturing, grinding, cleaning and dust with limited chemical splash protection.

**Sizes:** M-XXXL (Ex stock), S-4XL (Range)

**3M**



**4545**

**4545**

Elasticated face coverall with a type 5/6 protection rating. Typically used in light duty maintenance, paint spraying, cleanrooms, crime scene investigation, dust and limited liquid chemical splash.

**Sizes:** M-XXXL (Ex stock), S-4XL (Range)

**3M**



**UVEX CLASSIC**

**98449**

The microporous spunbond laminate material of this extremely light and breathable coverall ensures an exceptional combination of outstanding wearer comfort and reliable protection.

Properties: Particle-tight and spray-tight for limited. Exposure. Soft, skin friendly material.

Ergonomic fit for high wearer comfort. Elasticated waistband for a more tailored fit.

Self-adhesive zipper flap for increased protection and safety. Antistatic properties. UV

Protection Factor UPF 50+.

**Sizes:** S-XXXL

**uvex**



**MUTEX 2**

**4180002**

Honeywell disposable suit made from exclusive white breathable and antistatic polyethylene and microporous film. Category III, Type 5&6, silicone and latex free. Excellent liquid tightness.

No seams on arms and shoulders. Double outer and inner flap. Special design at crotch prevents tearing. Elasticated back. Special cut under the arms for better freedom of movement.

**Sizes:** S-XXXL

**Honeywell**  
THE POWER OF CONNECTED



**PROMAX**

**PROMAX**

Type 5/6, disposable coverall. Protects from the hazards of light sprays and splashes of liquid chemicals, fine particulate contact and electrostatic dissipation. Lightweight, disposable coverall made from microporous spun bond-polyethylene-laminate. Resistant to noxious dust and splashes, non-linting and ideal to use in environments not to be contaminated (e.g clean rooms) or in general maintenance. Typical areas of use are dependant on the potential risk and exposure of the coverall.

**Sizes:** S-XXXL



**DISPOSABLE**

**PDISPO**

Disposable polypropylene coverall protects the user's torso, arms, legs and head from the hazards of fine particulate contact in dirty environments. Spunbound polypropylene is a light weight economical material that offers protection ideally suited for minimal protection applications and has a low hold-out level on fluid resistance. Intended to protect the head, torso, arms and legs from certain chemicals and fine particles. This coverall is for single use only - do not launder for re-use.

**Sizes:** S-XXXL

A close-up photograph of a smiling Black male worker wearing an orange hard hat and safety glasses. He is wearing an orange safety vest over a white shirt. The background is slightly blurred, showing other workers in similar attire. The text 'HEAD PROTECTION' is overlaid in large, white, bold, sans-serif capital letters across the center of the image.

# HEAD PROTECTION

## UVEX PHEOS

9772.030

Helmet with slots for Uvex visors and earmuffs. Side Euroslots adapters for attaching earmuffs. 3 variable air vents for maximum ventilation. Conventional suspension harness for a comfortable fit (Pheos B), and wheel ratchet option (B-WR). Pheos B : 380g. Pheos B-WR : 430g

**Colours:** White, Yellow, Orange, Red, Green, Blue

## U-CAP SPORT – LONG BRIM

9794.401

Bump cap with flexible plastic shell for protection against grazes and bumps. Integrated shock absorbing elements with honeycomb structure. Integrated sweat band for comfort. Easily fitted using adjustable velcro fastening. Armadillo design provides additional flexibility and ergonomically adapts to different head shapes and sizes.

**Weight:** 190g.

**Peak length:** 7cm.

**Colour:** Anthracite

## NIKKI HARD HAT

NIK

Lightweight ABS plastic offers excellent rigidity and protection. Airvents that can be opened and closed with simplicity. Advanced Permasweat breathable sweatband. Contoured rain channel offers maximum lateral rigidity (side impact). Slotted integration for wide range of accessories (earmuffs, face shields, visors). Chin strap attachment point. Ultra violet inhibitor protects and extends the helmet life

**Colours:** Black, Grey, Blue, White

**Sizes:** 7-11

## SAFETY FULL BRIM

HH-BRIMH

Poly Propylene shell. 6 point headgear suspension system. LDPE 2-part headgear with 2 stage height adjustment and a Tricot cushion sweatband. 6 pin low slung buckle fastening system with adjustment from 500mm to 640mm. Central raised channel with auxiliary channels run over the top of the cap providing superior vertical rigidity and impact resistance. Side slots for a wide variety of accessory attachments. 40mm full brim that runs around the hat provides shade, water diversion and facial protection from falling objects. 2 lugs allow for the attachment of 2 & 3 point chinstraps. 340g assembled weight.

**One size fits all:** 50cm - 64cm.

**Colours:** White, Royal Blue, Yellow, Orange, Red, Green and Grey

## SAFETY CAP

HH-HARDHAT

Poly Propylene shell. 6 point headgear suspension system. LDPE 2-part headgear with 2 stage height adjustment and a Tricot cushion sweatband. 6 pin low slung buckle fastening system with adjustment from 500mm to 640mm. Central raised channel with auxiliary channels run over the top of the cap providing superior vertical rigidity and impact resistance. Side slots for a wide variety of accessory attachments. 40mm peak provides shade as well as facial protection from falling objects. 3 lugs allow for the attachment of 2 & 3 point chinstraps. 284g assembled weight.

**One size fits all:** 50cm - 64cm.

**Colours:** White, Yellow, Sun Yellow, Orange, Red, Green, Sasol Blue, Royal Blue, Navy Blue, Purple, Bright Pink, Lime, Brown, Grey and Black.

## SAFETY CAP WITH LAMP BRACKET

HH-WCLIP

Poly Propylene shell. 6 point headgear suspension system. LDPE 2-part headgear with 2 stage height adjustment. Tricot cushion sweatband. 6 pin low slung buckle fastening system, adjustment from 500mm to 640mm. Central raised channel with auxiliary channels. Side slot attachments. 40mm peak for shade and facial protection. 3 lugs for the 2 & 3 point chinstraps attachment. 284g assembled weight. Metal electroplated lamp bracket attachments. Polyprop cable clip attachment.

**One size fits all:** 50cm - 64cm.

**Colours:** White, Yellow, Sun Yellow, Orange, Red, Green, Sasol Blue, Royal Blue, Navy Blue, Purple, Bright Pink, Lime, Brown, Grey and Black.



## SPEEDGLAS 9100 FX

9100 FX

Exceptionally large, 8" x 4.25" protective visor with 105 degree viewing angle significantly increases user's field. Smooth flip-up pivot mechanism allows for effortless one-handed use and quick transition. Compatible with all 3M™ Speedglas™ 9100 Auto Darkening Filters (Shade 5, 8, 9-13, and tack mode). SideWindows with exclusive Shade 5 filters. Mechanical strength requirements of EN 175 level "B" and ANSI Z87.1 – 2010. Spark deflector, and optional flame-resistant extended ear and neck protection. Front and side air exhaust vents minimize fogging and enhance comfort. Compatible with most 3M disposable respirators and select 3M reusable respirators.

3M



## SPEEDGLAS 100V

SPEEDGLAS 100

Auto-Darkening Filter 100S-10 for Stick, MIG and most TIG welding processes. Outstanding optical clarity. Factory-set dark shade 10 and viewing area of 6.05 sq.in. Suitable for most welding applications up to Shade 12 in the dark state. Permanent protection (Shade 12 equivalent) against harmful UV/IR radiation. Easy to operate and maintain. Five different Shade Number settings in the dark state, 8-12 (Speedglas 100V). Three user selectable levels of detector sensitivity. Excellent visibility in light state, shade 3, for easy welding preparation and after treatment. Multiple adjustments for highest comfort on Shield, Headband and Welding filter. Can be used together with 3M Maintenance Free Respirators for welding.

3M



## AUTO DARKENING WELDING HELMET

ADF815S

Constant protection against UV/IR and blue light in both dark and light state.  
Light shade 2.5, dark shade 7-13, to meet a wide variety of welding applications.  
Highly sensitive Arc sensor.  
Magnifier Lens for close up work.  
Power Save function with combination solar and battery.  
High impact resistance.  
Adjustable headgear.



## WELDING HELMET

H-WHELMET

Tough head mounted welding helmet with adjustable headband. Replaceable shade 10 and clear glass lenses for welding radiation and spatter protection. Polycarbonate clear lens also provides impact resistance.



## CLIP ON WELDING HELMET

EP-WHCL

Clip on welding helmet. Welding helmet fits over existing headgear or hard hats with sprung rear strap. Compact and light weight, easy to use, relatively abrasion proof.



## REPLACEMENT LENSES

SE-WELDCL

Glass lens replacements for Flip Front and Hand Held welding shields. Available in clear glass, clear polycarbonate, shade 10 & 12 and magnifying clear lens +1,5 +2 & +2,5 strengths





## BUMP CAP

HH-BUMPCAP

Industrial short brim bump cap complete with 4-point lining.  
Colours: White, Yellow, Orange, Red, Green, Royal Blue, Navy Blue, Grey and Black.

## 6 POINT LINER

HI-HI

Replacement LDPE 6 point pin lock liner with 25mm webbing lining.

## 4-POINT CHIN STRAP

HH-FPCSTRAP

4 point anchor chin strap with quick release clip and break away for all safety caps & hats.

## 2-POINT CHIN STRAP

HH-CHIN2PNT

2 point 20mm webbing chin strap with dual anchors for all safety caps & hats.

## FACE SHIELD CLEAR

EP-CFS

Head mounted Brow Guard Face Shield with adjustable headband. Clear 1mm acetate lens 350mm X 200mm. Offering impact and liquid splash resistance.

## ALUMINIUM CAP ATTACHMENT

EP-ALFSHIELD

Aluminium frame with a spring system to fit most safety caps and hats. Green acrylic or acetate lenses fitted on with wing nuts. Strong and lightweight.  
Colours: Clear and Green.

## REPLACEMENT VISORS

EP-CVISOR

Clear 1 - 1.5mm acetate replacement lens for faceshields and cap attachments.  
Impact and liquid splash protection.  
Green 1 - 1.5mm acetate replacement lens for faceshields and cap attachments.  
Impact and liquid splash protection.

# FREEZE FR RAIN HIVIZ

A background photograph of two construction workers in winter gear. The worker on the left wears an orange high-visibility jacket and a white hard hat. The worker on the right wears a yellow high-visibility jacket and a black hood. They are both looking down at a set of plans they are holding together. The scene is outdoors in a snowy environment with snow falling around them. A yellow measuring tool, possibly a surveying level, is visible in the lower right corner.



## 2 TONE HIGH VIZ PADDED JACKET

BJZTLNLOCAL

Two-Tone Padded Jacket with Silver. Reflective Tape and storm flap.

**Colours:** Navy/Lime and Navy Pink

**Sizes:** S-4XL



COLD RESISTANT



## FREEZER JACKET WATERPROOF

FJZSTDNBL

Single Lined Insulation that offers -26 Deg C to -30 Deg C protection.

Fully Waterproof Outer with all seams tape sealed.

Detachable hood for convenience and safety, should it become snagged.

Flap behind zip forms a thermal and moisture barrier.

Elasticated storm cuffs (self fabric), inside of sleeves.

Heavy duty plastic moulded zip. 3 patch pockets – 2 lower & left breast.

Rear vent and water trap to prevent moisture running back into the garment.

**Colour:** Navy



WATER RESISTANT



COLD RESISTANT



## FREEZER JACKET

PRO-J

160 gram padded freezer jacket with nylon outer shell and oxford inner lining

**Colour:** Navy

**Sizes:** S-4XL



COLD RESISTANT



## FREEZER TROUSERS

PRO-TRS

160 gram padded freezer jacket with nylon outer shell and oxford inner lining

**Colour:** Navy

**Sizes:** S-4XL



COLD RESISTANT



## ONE PIECE FREEZER

PRO

One Piece Freezer Suit with 160 gram padding Oxford Nylon outer and Nylon inner lining.

**Colour:** Navy

**Sizes:** S-4XL



COLD RESISTANT



## THERMAL UNDERWEAR

LJOHNSDKZ

VESTSDKL

100% cotton vest and long john.

**Colour:** Black and White

**Sizes:** S-4XL



COLD RESISTANT



## HIGH VIZ 2 PIECE RUBBERISED RAIN SUIT

PRSRUBREF

2 Piece Rubberised Rain Suit and of PVC and Nylon. It has a concealed hood in the collar, double elasticated cuff, drawstring waist, reinforced crotch and adjustable pants bottoms. Reflective tape on garment.

**Colours:** Orange and Lime

**Sizes:** S-4XL



## RUBBERISED SUIT

PRSRUB

2 Piece Rubberised Rain Suit in PVC and Nylon. It has a concealed hood in the collar, double elasticated cuff, drawstring waist, reinforced crotch and adjustable pants bottoms.

**Colours:** Navy, Black, Yellow

**Sizes:** S-4XL



## YELLOW PVC - SPECIALIZED

PRSR300YELR

All seams are stitched and welded. 300 gsm reinforced PVC. 400 gsm reinforced PVC sleeve. Polyester base fabric is PVC coated on both sides, thus reducing the risk of delamination and mould setting in. Highly Durable. Sizes is referenced to SANS 434 to ensure good fit. Locally manufactured.



## RAIN SUIT

PRS70

PVC rain suit two piece complete with hood, zip and storm flap. 85% PVC inside lining. 15% Polyester outer lining. 293 gms

**Colours:** Yellow and Navy



## PONCHO

PONCHO

Rubberised poncho standard with hood.

**Colours:** Navy, Black, Yellow, Clear

**Size:** Universal



## WIND BREAKER - ALL WEATHER MACJACK

AWJ202

Macjack is a classic rain jacket made from quality water resistant nylon and has toweling lining. Concealed zip away hood.

**Colours:** Brown, Bottle Green, Beige, Navy, Royal, Red, White, Yellow, Black, Maroon, Grey

**Sizes:** S-4XL



## HI VIZ PARKER JACKET

VEN-JAC

Two-tone medium jacket adjustable cuffs, storm flap, concealed hood, two front pockets with flap, padded and fully lined. Water and wind resistant polyester

**Colours:** Yellow/Navy and Orange/Navy



## BUNNY JACKET

BJR

High visibility polyester cotton with cotton woven on the inside to ensure maximum comfort. Removable sleeves. Reflective tape on chest and arms.

**Colours:** Lime, Orange and Blue

**Sizes:** S-4XL



## REFLECTIVE VEST - 2 TONE

EN2PLS

Reflective vest two-tone with ID pocket

**Colours:** Lime/Blue, Lime and Lime/Orange

**Sizes:** S-3XL



## REFLECTIVE VEST - EN4 AIRFLEX

PW-VESTM2

Good quality reflective vest, ID pocket on front. Mesh airflex fabric.

**Colours:** Lime and Orange

**Sizes:** S-5XL



## REFLECTIVE VEST - ECONO

PW-VESTZ

Good quality reflective waist jacket, ID pocket on front.

**Colours:** Orange, Lime, Black, Red, Pink, Green, Blue

**Sizes:** S-5XL



## REFLECTIVE BIB

PW-MAXIBIB

Reflective Maxi Bib. 37cm x 47cm. Reflective line on front and reflective cross on back.

**Colours:** Lime Green or Orange.

**Sizes:** One size fits all



# CLOTHING

A full-page background image featuring a smiling man in a white chef's uniform. He is wearing a white toque and holding a large wooden spoon. The image is overlaid with a semi-transparent dark grey layer, and the word 'CLOTHING' is written in large, white, sans-serif capital letters across the top left.



## FLO JACKET

FLO

190g 80/20 Polycotton fabric. Available in long & short sleeves. Bar-tacked on all pressure points. Double breasted chef jacket. Turned-back cuffs. Welted chest pocket. Thermometer sleeve pocket. Single top-stitched armholes and shoulder seams.

**Colours:** Black, White



## SAV LONG SLEEVE

SAV

190g 80/20 Polycotton fabric. Available in long & short sleeves. Bar-tacked on all pressure points. Double breasted chef jacket. Turned-back cuffs. Welted chest pocket. Thermometer sleeve pocket. Single top-stitched armholes and shoulder seams.

**Colours:** Black, Pink, Grey, Lime, Red, White



## SAV SHORT SLEEVE

SAV-SH

190g 80/20 Polycotton fabric. Bar-tacked on all pressure points. Double breasted chef jacket. Turned-back cuffs. Welted chest pocket. Thermometer sleeve pocket. Single top-stitched armholes and shoulder seams. Available in long & short sleeves.

**Colours:** Black, Grey, Lime, Red, White



## BAG PANTS

BP

200g 65/35 Polycotton. Bar-tacked pockets for added durability. Comfortable baggy pants. Elasticated waist and draw cord. Ideal for the kitchen. Two side pockets. One back pocket. Monza side pocket on the thigh.

**Sizes:** XS-5XL



## BIB APRON

BA

Polycotton twill fabric. A hospitality industry fixture. Also great for domestic and promotional use. Two pocket compartments.

**Colour:** Navy, Beige and Red

**Sizes:** Universal



## BM BEANIE

BM

200g 65/35 Polycotton. Adjustable velcro back tab. Mesh top panel for ventilation.

**Colour:** Black and White

**Sizes:** Universal



## MENS LONG SLEEVE ONE POCKET SHIRT

LKSHTLI

### 100% Cotton Twill / Denim

Minimal styling. Button down front. Modern fit. Extra length curved hem.  
Single chest pocket. Double needle posting on side seams.  
Enzyme wash. Subtle Jonsson branding.  
Embossed buttons. Bar tacks on stress points for extra strength.

**Weight:** 135gm<sup>2</sup> /4.5 oz

**Size:** S-5XL

**Colour:** Black, Navy, Fatigue, Blue, Khaki, White, Stone, Chocolate, Indigo (Denim)



## MENS VERSATEX CARGO TROUSERS

IMCARGO

### 100% Cotton Twill / Denim

Minimal styling. Button down front. Modern fit. Extra length curved hem.  
Single chest pocket. Double needle posting on side seams.  
Enzyme wash. Subtle Jonsson branding.  
Embossed buttons. Bar tacks on stress points for extra strength.

**Weight:** 230 gm<sup>2</sup>

**Size:** 28-50

**Colour:** Navy, Khaki, Charcoal, Olive



## 7 POCKET DENIM JEANS

IMJEANS

### Fabric: 93% Cotton, 5% Polyester, 2% Viscose

2 front pockets plus a coin pocket, 4 back pockets. Back yoke with deep concealed openings for extra storage. Flattened antique silver rivets. Leather Jonsson badge. YKK zip closure.  
Specialised wash with sand blasting for a worn in look. Rigid crosshatch indigo denim.

**Weight:** 12 Ounce

**Size:** 28-50

**Colour:** Indigo (Denim)



## WOMENS LONG SLEEVE WORK SHIRT

LLSBLS

### 100% cotton

Pocket flap with pen division and button closure. Semi fitted with back darts. Industrial wash.  
Roll up sleeve with tabs. Longer length.

**Weight:** 135 gm<sup>2</sup>

**Sizes:** XS - 3XL

**Colour:** Stone, Fatigue, Khaki, Navy



## WOMENS CARGO TROUSER

LCARGP

### 100% Cotton Twill

Shaped waistband for better fit. Cargo pockets with hook and loop closure. Triple stitched on inner leg and outer leg seams for extra strength. Bar tacks on all stress points. Concealed YKK zip. Embroidery detail on back pockets. Industrial wash.

**Weight:** 240 gm<sup>2</sup>

**Size:** 28-48

**Colour:** Khaki, Navy, Fatigue



## URBAN BELT

ULBELT

**100% Buffalo Leather.** Full grain buffalo leather. High gloss finish. Antique brass buckle. 40mm width.  
**Size:** S - 2XL. **Colour:** Brown

## IMAGE BELT

LBELT

**100% Buffalo Leather.** 40mm width. Antique nickel roller buckle  
**Size:** S - 2XL. **Colour:** Black







## QUILTED SHERPA BODYWARMER FOR MEN & WOMEN

WR028

WR029

100% Quilted Polyester / 100% Polyester Sherpa. Diamond cut quilted polyester. Sherpa lining. YKK Vizlon zip. Fleece lined side entry pockets. Inner safety pocket. Lip elastic around cuffs & hem.

**Weight:** 155 gm<sup>2</sup> / 195 gm<sup>2</sup>

**Colour:** Navy, Black, Fatigue

**Sizes:** S-4XL



## GOLF SHIRTS

CW-GSHIRT

Polycotton fabric pique knitted golf shirts, double needle finish on sleeve and hem. Comfortable, durable and long wearing when looked after according to instructions. Extremely versatile for use in various applications. Available in both Mens and Ladies style and in quality options of 175g, 200g, and 240g.

**Colour:** Black, Grey, Emerald, Bottle Olive, Beige Maroon, White, Navy, Sky, Royal Blue, Turquoise, Lime, Yellow, Orange, Red, Pink, Khaki

**Sizes:** S-5XL



## T SHIRTS

CW-TSHIRTS

Classic fit t-shirts with taped shoulder and neckline. Double stitched hem and sleeve. Soft and smooth feel in hand. Variety of qualities and colours available as below.

**Available in:** 135g, 145g, 150g, 170g, 180g, 190g (Black and White)

**Colour:** Black, Grey, Cyan, Dark Green, red, Emerald, Lime, Light Blue, Navy, Orange, Royal Blue, Purple, White, Stone, Yellow

**Sizes:** XS-5XL



## CAPS

CW-CAPS

Headwear collection includes a variety of caps to suit your everyday needs. Available in 5 panel or 6 panel designs and a variety of colours.

**Colour:** Black, Grey, Beige, Yellow, Red, Blue, Navy, White, Orange, Green, Lime, Sky, Maroon, Bottle Green

**Sizes:** One size fits all



## SOCKS

FT-BS

A broad range of socks, engineered with a variety of fibre combinations, lengths, colours and sizes. Anti-static options also available for use in conjunction with anti-static footwear.

**Colour:** Black

**Sizes:** 4-7, 8-12



## INNERSOLES

FT-REBFB

Industrial insoles are engineered to keep your feet comfortable and healthy while you work, as well as reduce impact and fatigue. Options include forefoot and heel strike cushions, combined with arch support.

**Sizes:** 3-13

# FOOD PREP





## MOP CAPS

PW-MCAP12

Disposable Mop Caps are essential to promote hygiene in the kitchen and is used to prevent contamination of food when handling it. Single or double elastic available.

Packs of 100.

**Colours:** White, Blue, Red, Yellow, Green, Black.



## BEARD COVERS

PW-BEARDCOV

Non-woven, disposable beard covers.

Used in various industries for the prevention of cross-contamination.

Packs of 100.

**Colours:** White or Blue.



## PROTECTIVE PLASTIC SLEEVES

PW-SLEEVES

Made from Polyethylene material.

Waterproof protection for light duty

Elasticated trim on both ends ensures a secure fit.

Packs of 100.

**Colours:** White or Blue.



## PVC APRONS

PW-APN

250gram PVC Apron, medium thickness

Designed for use in medium to heavy food or similar environments.

**Colours:** White



## PLASTIC SMOCKS & APRONS

PW-SMOCKS

PW-APRON

Waterproof protection for light duty, Made from premium quality.

Polyethylene and contains no latex.

Box of 200.

**Colours:** White, Blue



## DELI GLOVES

PW-DELIGLE

Used in the handling of food to prevent contamination of food.

Packs of 100.

# FALL ARREST ST







## HE PLAIN

HE PLAIN

Full Body Harness without waist belt or lanyard.  
45mm webbing with 45mm 2 part interlocking buckle on chest strap.  
SANS 50361 approved



## HE SERIES – SPARTAN

SPARTAN

Full Body Harness without waist belt or lanyard.  
Double leg shock absorbing webbing lanyard with Scaffold Hooks



## HD SERIES

HD

Full body harness with 45mm waist belt.  
Double leg webbing lanyard with scaffold hooks.  
Lanyard length — any length up to a maximum, including shock absorbing element, of 2 metres.



## MINETEC 300

MINETEC300

Full body harness with padded shoulder and leg straps and a kidney support.  
3 Attachment points – 2 x front and 1 x back.  
Supplied with separate double leg shock absorbing lanyard with scaffold hook.  
Standing step-up strap in pouch on waist belt.

## SELF RECOVERY STIRRUP LINES

SL

**DESCRIPTION OF HAZARD-SUSPENSION TRAUMA:** Orthostatic intolerance may be experienced by workers using fall arrest systems. Following a fall, a worker may remain suspended in the harness and sustained immobility may lead to a state of unconsciousness. The resulting orthostatic intolerance may lead to death. While not common, such fatalities often are referred to as "harness-induced pathology" or "suspension trauma".

**SOLUTION:** A temporary solution is the inclusion of the Self Recovery Stirrup Line. When deployed by the worker, who then steps into the appropriate loop on the vertical line and stands up, the pressure exerted in the groin area by the straps supporting the body is released. As a result of this, and the ability to move the legs, the blood supply to the upper body is restored.

## KIDNEY BELT – ELASTICATED

KB

PVC Strip reinforced.  
Velcro closure.  
Available in sizes Small, Medium, Large or on request for bigger sizes up to 5-X-Large.





## RIGGERS HARNESS

RIGGERSH

Full body harness with padded waist leg and waist.

7 Attachment points.

### OPTIONAL EXTRA:

Double leg fall arrest lanyard with shock absorbing element and pylon hooks and stirrup line, or see pages 10 and 11 for other lanyard options.



## ROPE ACCESS HARNESS

ROPEAH

Full body comfort fit harness without lanyard.

Padded shoulder, leg and kidney support.

2 x attachment points – 1 x chest and 1 x back.

Work positioning attachment points on hips.

SANS 50358 and 50361.



## PYLON FALL ARREST KIT

PYLONFAK

Full body harness with padded waist belt.

Galvanised high tensile steel hardware and connections.

Fall Arrest attachment points on back and chest. Work positioning attachment points on hips.

Double leg shock absorbing Fall Arrest lanyard with Pylon hooks.

Attachment strap and hold-all bag.



## POWER LINE FALL ARREST KIT

D12700

Full body harness with stainless steel hardware and 4 attachment elements.

1.75m double leg webbing lanyard including shock absorbing element, one carabiner and 2 pylon hooks for fall arrest.

2m Adjustable webbing lanyard for work positioning.

2 Attachment straps.

Hold-all bag.

HD / Powerlines Harness



## LIVE LINE FALL ARREST KIT

D12701

Fully body harness with stainless steel hardware and 4 attachment elements.

1.75m Adjustable double leg webbing lanyard including shock absorbing element, one carabiner and 2 pylon hooks for fall arrest.

1.75m Adjustable single leg webbing lanyard including shock absorbing element, 1 carabiner and 1 pylon hook for fall arrest. 2m Adjustable webbing lanyard for work positioning.

2 Attachment straps.

Webbing — anti static, non-conductive and flame-retardant.

Hold-all bag.

## RESCUE KIT

D12703

20m or 30m x 11mm static rope.  
1.5m Anchor strap (SANS 50795)  
Red hold-all bag. Knife.  
Descending Device (EN341).  
1 x stainless steel carabiner (SANS 50362).

## HORIZONTAL LIFE LINE

HORLL

Hold all bag.  
2 x attachment straps.  
50mm Ratchet.  
20m of 50mm Webbing safety line with hooks on both ends (longer length on request).  
Oval carabiner for worker's attachment.

## MINI BLOCK

MINIB

Having a Retractable Webbing of width 47mm. Maximum length : 2.5m. Has a protective casing.  
Incorporated with an Energy Absorber for shock absorption.  
Supplied with Steel Screw Locking Karabiner PN 112 at the Anchorage as well as at the attachment ends.  
Minimum Breaking Strength > 15kN  
**Weight:** 1.20 Kgs ±10 gms  
Conforms to EN 360:2002

## FALL ARRESTER BLOCK – WEBBING

FABW


Casing made up of high impact strength Polymer, to prevent breakage and is nearly indestructible.  
Comes in 25mm Width Webbing.  
Has PN 162 Hook with Load Indicator at attachment end.  
Anchorage Eye with Swivel action.  
Prevents undue twist of rope while working or in the event of a fall.  
Minimum Breaking Strength is 15kN.  
Conforms to EN 360:2002.

## FALL ARRESTER BLOCK - STEEL WIRE

FABSW

**DESCRIPTION OF HAZARD-SUSPENSION TRAUMA:** Orthostatic intolerance may be experienced by workers using fall arrest systems. Following a fall, a worker may remain suspended in the harness and sustained immobility may lead to a state of unconsciousness. The resulting orthostatic intolerance may lead to death. While not common, such fatalities often are referred to as "harness-induced pathology" or "suspension trauma".

**SOLUTION:** A temporary solution is the inclusion of the Self Recovery Stirrup Line. When deployed by the worker, who then steps into the appropriate loop on the vertical line and stands up, the pressure exerted in the groin area by the straps supporting the body is released. As a result of this, and the ability to move the legs, the blood supply to the upper body is restored.







## WELDING JACKET CHROME LEATHER

PBG-DACEAC

Chrome leather welding jacket for protection against heat and spatter when welding.  
**Sizes:** M-3XL



## WELDING YOKE

PBG-YOKE

Chrome leather shoulder yoke for protection against heat and spatter when welding.  
**Sizes:** M-3XL



## SPATS LONG WELDING

PBG-DLSPAT-KNEE

Chrome leather welding knee spat leg protection against heat and spatter when welding.  
**Size:** 45cm



## SPATS SHORT

PBG-DLSPAT

Chrome leather welding ankle spat foot protection.  
**Size:** 30cm



## LEATHER APRONS 60cm x 120cm

PBG-DDHLAPN3

Chrome leather welding apron to be used with correct protective clothing, to protect against heat and spatter when welding.  
**Size:** 120cm



## LEATHER APRONS 60cm x 90cm

PBG-DLAPR60

Chrome leather welding apron to be used with correct protective clothing, to protect against heat and spatter when welding.  
**Size:** 90cm



## HAND CLEANER (GRIT)

HCG

One & only Mechanical Hand Cleaner: Water / Solvent based combination, mechanical hand cleaner with grit and essential oils.

**Container Volume Options:** 500gram, 5kg , 20kg



## PINK HAND SOAP

PHS

One & only Industrial degreaser: Water based and general hard surface, multi-functional grime cleaner. Universal cleaning product.

**Container Volume Options:** 750ml, 1lt , 5lt, 20lt



## LIQUID DISHWASHER

LD

Supa Dishwashing Liquid: Biodegradable medium foaming neutral detergent used for daily washing of dishes, glass pots, pans cutlery and cooking utensils, with fresh lemon.

**Container Volume Options:** 1lt, 5lt



## BLEACH

BLEACH

Supa Clean Bleach Liquid Lemon scented concentrated chlorine compound, bleaching agent & disinfectant cleaner, used for bleaching and stain removal on with laundry, hygiene cleaning including baths, basins, drains and bins.

**Container Volume Options:** 1lt, 5lt



## PINE DISINFECTANT

PD

Supa Pinesan Disinfectant: Hygiene cleaner with virgin pie oil & active antimicrobial agent used for daily cleaning & disinfectant of sensitive areas such as toilets, showers, urinals, baths & other washroom surfaces.

**Container Volume Options:** 1lt, 5lt



## HANDY CLEANER

HC

Supa Ammoniated Cleaner: Ammoniated cream with micro scrubs. Alkaline cleaning compound with active detergents and cleaning agents for daily hard surface washing and cleaning applications.

**Container Volume Options:** 1lt, 5lt



## DRAIN DOCTOR - GRANULATED

DC

Triple Red Drain cleaner with granules: Industrial alkaline / caustic powder combination, granular for interior / exterior use.

**Container Volume Options:** 1kg, 5kg

## MUTTON CLOTH

MUTTCC

Traditional mutton cloth. 400g. Re-usable, lightweight, good absorbancy and strength.

## RAGS CLEANING RAGS

RAGS

Available in white and mixed colours. Sterilized T shirt rags sold in 5kg & 25kg bags.

## GARAGE PAPER ROLL

GPR

Traditional paper roll for varioius cleaning requirements. 1 ply.

**Sizes:** Various widths and lengths.

## BROOMS

BROOMS

1. Household broom with plastic coated handle
2. Small industrial platform broom - 450 mm wide with reinforced handle
3. Wide industrial platform broom - 600 mm wide with reinforced handle

## MOPS

MOPS

1. Industrial fan mop with long hair wooden handle and aluminium base.
2. Short hair mop with wooden handle and aluminium base.



1. 2. 3.



1. 2.



## BARRIER NETTING

SE-OBNET

HDPE Barrier Netting for use to as temporary fencing to demarcate and cordon off high risk areas such as construction sites, road works, an general hazardous environments. High visibility, good screening properties, easy installation, UV treated and excellent weathering properties.

**Colour:** Orange

**Sizes:** 1m x 50m and 1,2m x 50m



## BARRIER MESH

SE-KNITB

Heavy duty flexible poly knitted Barrier Mesh, UV treated, excellent weathering properties. Good visibility properties, easy to install and it's tightly knit construction will not unravel when cut.

**Colour:** Orange Yellow

**Sizes:** 1m x 50m



## BARRIER TAPE

SE-CHEV

Striped PVC Chevron tape used to demarcate areas, and control vehicle and pedestrian traffic.

**Colours:** Black/Yellow and Red/White

**Size:** 75mm x 100m



## ROAD CONES

SE-CONE

Made from flexibly heavy duty dayglo PVC. Reflective sleeves ensure high visibility at night.

A heavy base on all cones ensure that they are not easily toppled. UV stabilized. Durable and easy to clean.

**Sizes:** From 300 mm to 1000mm



## SPILL KITS - 100 L

SK100L

**OIL KIT CHEMICALS:** 1 x pvc carry bag (1000 x 500 x 420), 1 x 100l loose fibre, 1 x microboom, 50 x supersorb pads, 10 x supersorb cushions, 1 x pair pvc gloves, 1 x pair anti-mist goggles, 1 x 100m roll chevron tape, 10 x hd disposal bags & ties, 1 x non-spark broom & shovel, 1 x instruction booklet.

**CHEMICAL KIT CONTENTS:** 1 x pvc carry bag (1000 x 500 x 420), 2 x 5kg chem-vac scatter, 1 x chem-vac microboom, 50 x chem-vac pads, 1 x pair nitrile gloves, 1 x pair anti-mist goggles, 1 x 100m roll chevron tape, 10 x hd disposal bags & ties, 1 x non-spark broom & shovel, 1 x instruction booklet



## SPILL KITS - WHEELY BIN 240L

SK240L

**ACID KIT CONTENTS:** 3 x 5kg acidvac, 2 x 5kg acid neutraliser, 1 x elbow nitrile gloves, 1 x anti-mist goggles, 5 x hd disposal bags, 1 x non-spark shovel, 1 x non-spark broom, 1 x instruction booklet. **OIL KIT CONTENTS:** 2 x 100l loose fibre, 1 x 4m microboom, 10 x supersorb pads, 5 x hd disposal bags, 1 x non-spark shovel, 1 x non-spark broom, 1 x pvc gloves, 1 x anti-mist goggles, 1 x instruction booklet. **CHEMICAL KIT CONTENTS:** 2 x 100l chem-vac scatter, 1 x 4m chem-vac microboom, 10 x chem-vac pads, 2 x 5kg chemical neutraliser, 5 x hd disposal bags, 1 x non-spark shovel, 1 x non-spark broom, 1 x elbow nitrile gloves, 1 x anti-mist goggles, 1 x instruction booklet



## MANDATORY SIGNAGE

SG-SIGNS

Examples: Hand Protection shall be worn, Respiratory protection shall be worn, head protection shall be worn.

Sizes: 150 X 150mm, 190 X 190mm, 290 X 290mm, 440 X 440mm

MV1 - Eye protection shall be worn

MV2 - Respiratory protection shall be worn

MV3 - Head protection shall be worn

MV4 - Hearing protection shall be worn

MV5 - Hand protection shall be worn

Additional available.

## PROHIBITED SIGNAGE

SG-SIGNS

Examples: Smoking prohibited, Fire and open flames prohibited, thoroughfare for pedestrians prohibited.

Sizes: 150 X 150mm, 190 X 190mm, 290 X 290mm, 440 X 440mm

PV1 - Smoking prohibited

PV2 - Fire and open flames prohibited

PV3 - Thoroughfare for pedestrians prohibited

PV4 - Water prohibited as extinguishing agent

PV5 - Drinking of this water prohibited

## WARNING SIGNAGE

SG-SIGNS

Examples: Warning Fire hazard, Warning of Explosion hazard and Warning of poisonous hazard.

Sizes: 150 X 150mm, 190 X 190mm, 290 X 290mm, 440 X 440mm

WW1 - General warning of danger

WW2 - Warning of fire hazard

WW3 - Warning of explosion hazard

WW4 - Warning of corrosive hazard

WW5 - Warning of poisonous substance hazard

## GENERAL SIGNAGE

SG-SIGNS

Examples: First-aid Equipment, Direction to escape, Drinking water.

Sizes: 150 X 150mm, 190 X 190mm, 290 X 290mm, 440 X 440mm

GA1 - First aid equipment

GA2 - General direction

GA3 - Direction to escape route

GA3 - Direction to escape route

GA5 - Manned first-aid station

## LOCATION SIGNAGE

SG-SIGNS

Examples: Location of Fire extinguisher, Fire hose, Fire Hydrant.

Sizes: 150 X 150mm, 190 X 190mm, 290 X 290mm, 440 X 440mm

FB1 - Location of fire fighting equipment

FB2 - Fire extinguisher

FB3 - Fire hose

FB4 - Fire hydrant

FB5 - Fire alarm





## FACTORY REGULATION 3

FAK 02A

- |                                   |                                       |
|-----------------------------------|---------------------------------------|
| 1 x 75ml Savlon                   | 2 x Straight splints interlocking     |
| 1 x Gauze swabs - 100 pack        | 4 x Latex gloves (2 x med; 2 x large) |
| 2 x Sterile gauze 5s              | 2 x CPR mouth pieces                  |
| 1 x Forceps                       | 1 x Cotton wool                       |
| 1 x Bandage scissors              | 1 x Plaster roll 24mm x 3m            |
| 1 x Safety Pins 12"               | 1 x Paper tape 25mm x 3m              |
| 4 x Triangular bandages non-woven | 4 x First aid dressing no 3.          |
| 4 x Conforming bandages 75mm      | 4 x First aid dressing no 5.          |
| 4 x Conforming bandages 100mm     | <b>Size:</b> 40 x 31 x 12 cm          |

## FACTORY REGULATION 7

FAK02B

The same contents of Factory regulation 3 and also includes:

- 1 x Absorbent 40g
  - 1 x Eusol Disinfectant 50ml
  - 1 x Bioside 6g
  - 4 x Rubber household gloves (2 x medium, 2 x large)
  - 1 x Impervious bag yellow
- Size:** 42 x 31 x 12 cm



## MINING REGULATION KIT

FAK 09

- |                                 |                                  |
|---------------------------------|----------------------------------|
| 1 x Cleaning solution 100ml     | 1 x Anti-allergic tape 25mm x 3m |
| 1 x Gauze swabs 100s            | 1 x Dressing strips              |
| 1 x Sterile gauze 5s            | 2 x CPR mouth pieces             |
| 12 x triangular bandages        | 1 x Cervical collar set          |
| 6 x 75mm x 4.5 bandages         | 4 x pairs latex gloves           |
| 6 x 100mm x 4.5 bandages        | 1 x Scissors                     |
| 16 x Interlocking green splints | 1 x Safety pins 12s              |
| 5 x Cotton wool 5g              | 1 x Plaster roll 25mm x 3m       |
| 1 x Forceps                     | <b>Size:</b> 61.5 x 38 x 13 cm   |



## MOTORIST FIRST AID

FAK 04

- |                                     |                                      |
|-------------------------------------|--------------------------------------|
| 1 x Eye pad                         | 1 x Plasters assorted 5s             |
| 1 x Cleansing fluid                 | 2 x CPR mouth pieces                 |
| 2 x Gauze swabs 5s                  | 2 x Set green plastic splints        |
| 1 x Plastic forceps                 | 1 x Plaster roll 3m x25 mm           |
| 1 x Scissors                        | 2 x Pairs latex gloves               |
| 1 x Safety pins 12s                 | 4 x First aid dressing No. 3         |
| 2 x Triangular bandages             | 4 x First aid dressing No. 5         |
| 4 x Conforming bandages 75mm x 5.4m | 4 x Conforming bandages 100mm x 4.5m |





## PADLOCK 330


PL330

An all-purpose padlock of durable construction for storage doors, motorcycles, gates, trailers, power station switches etc.

Equipped with hardened boron steel shackle, diameter 8 mm.

Also available with non-sparking brass or stainless steel shackle (security grading not tested).

**ASSA ABLOY**



## PADLOCK 341


PL341

A strong padlock for storage doors, gates and windows as well as trailers, protective bars, storage lockers, boats, rollershutter doors etc.

Equipped with hardened boron steel shackle.

Diameter 10 mm.

**ASSA ABLOY**



## PADLOCK L362

PL362

For applications where maximum security is required. Case-hardened steel body with raised shoulders and a toploaded cylinder provide the highest level of security and protection. Applications include containers, train wagons, trucks, lorries, heavy sliding doors, military applications etc. PL362 is equipped with a case hardened boron steel shackle, diameter 15 mm.

**ASSA ABLOY**



## EP400

EP400

For applications where maximum security is required. They provide key-actuated switching for burglar alarms, control boxes and other high security applications. All locks contain 11 discs for extensive keying combinations. Body material is chrome plated brass.

**ASSA ABLOY**



## CL103 CAM LOCK

CL103

For applications where maximum security is required. They are ideally suited for demanding applications such as electric switch boxes, telecom applications, signal boxes, vending machines, gaming machines, ATM machines, coin boxes, lockers, show cabinets etc. All locks contain 11 discs for extensive keying combinations. Body material is chrome plated brass or steel

**ASSA ABLOY**



## CYL332 DOUBLE CYLINDER

CL332

For applications where maximum security is required. Case-hardened steel body with brass cylinder provide the highest level of security and protection. Suitable for both outer and inner door use. Adjustable length with extension system to match different door thicknesses. Adjustable locked position of cam and several plating options

**ASSA ABLOY**



144 Golf Avenue Clubview  
Centurion Gauteng  
South Africa

Tel: +27 (0) 12 660 1234  
Tel: +27 (0) 12 660 2444  
[sales@khulanathi.co.za](mailto:sales@khulanathi.co.za)  
[khulanathi.co.za](http://khulanathi.co.za)